





60 YEARS OF ITALIAN TRADITION

Luxor is an important industrial reality, world wide and European market leader in the production of flexible hoses and components for hydro and thermo-sanitary installations. Luxor has been the expression of the most prestigious made in Italy and the great Italian high technology mechanical workings tradition for fifty years; a quality certified and recognized by the most prestigious International Certification Institutes all over the world.

Our mission is the complete customer satisfaction through a process of continuous technological research in order to make high quality, reliable products, anticipating the market evolutions by innovative partnership with both customers and suppliers. Luxor mission takes

place in its own Research and Development Centre in which new and advanced technologies are constantly analyzed and researched with continuous investments to offer the most innovative and reliable solutions for the international markets at competitive costs, ensuring strict quality controls on each single piece.

Luxor entirely plans and realizes each product, thanks to its decennial know how. The great production strength, a "slender" innovative and advanced industrial organization together with a modern logistic conception, make Luxor able to satisfy every kind of request, even customized, with fast deliveries all over the world.



Luxor is certified ISO 9001:2015 by DEKRA Group certification body

CERTIFICATION























UNI EN 215 **EUROPE**

KIWA-UNI ITALY

DVGW

GERMANY GERMANY

GERMANY

ΤÜV GERMANY

QB FRANCE

FRANCE

SVGW



























DENMARK

NORWAY

RISE SWEDEN

KIWA **HOLLAND**

POLAND

UKRSEPRO UKRAINE

USA U.S. / CANADA



AUSTRALIA Please refer to www.nsf.org for a complete list of NSF approved

Please contact our offices for information about technical specifications and certified products or visit the website of the corresponding certification body for the latter.

Please refer to www.iapmort.org for a complete list of UPC/cUPC approved products.



RADIATOR VALVES

1.A / ACCESSORIES



ACCESSORIES FOR VALVES, LOCKSHIELDS, 4-WAY VALVES AND DISTRIBUTORS LUXOR



507

Brass nut for fittings with spherical seat, for valves, lockshields and M valves (1/2 for 90° elbow fittings of straight M valves).

CODE	SIZE	g	\Rightarrow	
1946672	G 5/8 - DN 10 3/8	28	-	-
1946676LN	G 3/4 - DN 15 1/2	25	-	-
1946682	G 1" - DN 20 3/4	45	-	-



508

Brass fitting with spherical seat and o-ring, conical gas thread for valves and lockshields.

CODE	SIZE	g	\Rightarrow	
67891700	DN 10 3/8	24	50	400
67892100	DN 15 1/2	37	50	400
67892700	DN 20 3/4	64	30	240



508/B

Brass special fitting with spherical seat and double o-ring for valves and lockshields.

CODE	SIZE	ĝ	\Rightarrow	
67001700	DN 3/8	39	40	320



509

EPDM o-ring washer for fittings with spherical seat.

CODE	SIZE	g	\Rightarrow	
3424650	DN 10 3/8	-	-	-
3424662	DN 15 1/2	-	-	-
3424693	DN 20 3/4	-	-	-



CR 498

Nickel plated brass nut and fitting with o-ring to connect regulating valves and lockshields.

CODE	SIZE	G	\Rightarrow	
67901700	DN 10 3/8	60	50	400
67902100	DN 15 1/2	72	50	400
67902700	DN 20 3/4	120	20	160



517

PP (polypropylene) universal wall cover with snap opening, white coloured.

CODE	SIZE	G	\Rightarrow	
67790220	8÷22 mm	6	25	500



518

PP (polypropylene) wall cover with snap opening, white coloured.

CODE	SIZE	g		
67790217	G 3/8-18 mm	6	25	500
67790221	G 1/2	6	25	500
67790227	G 3/4	6	25	500
67790210	10 mm	6	25	500
67790212	12 mm	6	25	500
67790214	14 mm	6	25	500
67790216	16 mm	6	25	500



M 529

Interlocking ABS wall cover, white coloured.

ARTICLE DISCONTINUED.

CODE	SIZE	g		
67790265	Ø15÷16 mm	8	200	1200



M 530

Double interlocking ABS wall cover, white coloured (RAL 9016). ARTICLE DISCONTINUED.

CODE	SIZE	INTERAXIS	g		
67790238	Ø15÷16 mm	38 mm	17	50	300



M 531

Universal double interlocking ABS wall cover, white coloured (RAL 9016).

CODE	SIZE	INTERAXIS	g		
67790240	Ø10÷16 mm	40 mm	12	100	600

ACCESSORIES FOR EASY AND SMART SERIES

V

574

ABS manual adjustment knob for valve series Easy, white coloured (RAL 9016).

CODE	SIZE	g	\Rightarrow	
4761915	-	12	-	-



505

Flat fasit 205 washer for plug article 578

CODE	SIZE	g	\Rightarrow	
3405850	-	1	-	-



578

ABS plug for lockshield series Easy, white coloured (RAL 9016).

CODE	SIZE	9	\Rightarrow		
8761935	W19x19	2	-	-	

ACCESSORIES FOR TEKNA SERIES



570

ABS manual adjustment knob for Tekna valves, white coloured (RAL 9016).

CODE	SIZE	g	\Rightarrow	
4761903	-	10	-	-



572

ABS cap for manual adjustment knob for Tekna valves, white coloured (RAL 9016).

CODE	SIZE	g	\Rightarrow	
8761903	-	2	-	-



580

Brass screw for manual adjustment knob for Tekna valves.

CODE	SIZE	(g	\Rightarrow	
9346615	-	1	-	-



576

ABS plug for Tekna lockshields, white coloured (RAL 9016).

CODE	SIZE	g	\Rightarrow	
8761923	M23x19	6	-	-

ACCESSORIES FOR THERMOTEKNA SERIES



VT 2600

Manual adjustment knob for ThermoTekna valves. Knob and fastening ring nut in white ABS (RAL 9016).

CODE	SIZE	ĝ	\Rightarrow	
69010104	M30x1.5	16	30	240



TM 245

ABS protection cap for ThermoTekna valves, white coloured (RAL 9016).

CODE	SIZE	g	\Rightarrow	
8761904	M30x1.5	8	50	400



515

Thermostatic screw with pre-regulation for ThermoTekna valves.

CODE	SIZE	g	\Rightarrow	
67980006	-	24	-	-



CH 112

Key for the flow rate adjustment while the system is working.

CODE	SIZE	g	\Rightarrow	
67822717	-	10	100	-



CH 111

Key for screw replacement with the system operating, for ThermoTekna valves.

CODE	SIZE	ĝ	\Rightarrow	
67822720	-	2097	1	-



583

EPDM o-ring for thermostatic screw series ThermoTekna.

CODE	SIZE	ĝ	\Rightarrow	
3424704	-	-	-	-



ACCESSORIES FOR 50th SERIES





GS 1995

Single in-wall 90° elbow fitting, blue or red couloured, without bracket, with brass plug and o-ring.

CODE	SIZE				g	\Rightarrow	
66004100B	G 1/2 X (W24x19)	TR 91	TP 95	TP 97	122	8	64
66004100R	G 1/2 x (W24x19)	TR 91	TP 95	TP 97	122	8	64
66004102B	G 1/2 x G 3/4 EK	TR 91/A	TP 98	TP 99	127	8	64
66004102R	G 1/2 x G 3/4 EK	TR 91/A	TP 98	TP 99	127	8	64



M 528

Chrome-plated copper connection pipe with soft sealing for distribution boxes.

CODE	SIZE	g	\Rightarrow	
67510015	G 1/2 x (Ø 15 x 140)	72	35	280
67520015	G 1/2 X (Ø 15 x 175)	86	30	240



535

Universal interlocking ABS wall cover, chrome plated.

CODE	SIZE	g		
67790224C	10 ÷ 22 mm	6	100	-



Universal interlocking ABS wall cover, chrome plated, full covering.

CODE	SIZE	ĝ		
67790225C	10 ÷ 18 mm	18	25	-

ACCESSORIES FOR M-MT SERIES



M 525

PA 6 (polyamide) extension for probe for 4-way single pipe valves.

CODE	SIZE	g	\Rightarrow	
67790230	400 mm	16	50	500
67790299	1000 mm	40	-	-



513

Cylindrical washer PTFE for piston rod of valves series M 87 and M 88.

CODE	SIZE	g	\Rightarrow	
3489805	-	1	-	-



584

Brass radiator connection for 4-way single pipe valves M 85 and M 86.

CODE	SIZE	g	\Rightarrow	
0746810M	_	155	25	200



M 520

Brass nut for radiator connection of 4-ways valves.

CODE	SIZE	g	\Rightarrow	
1946803	-	52	-	-



586

PA 6 probe with flow diverter for single pipe valves M 85 and M 86.

CODE	SIZE	g	\Rightarrow	
7761810	-	4	-	-



M 521

Brass radiator connection for 4-way single pipe valves.

CODE	SIZE	g	\Rightarrow	
7146803	DN 15 1/2	41	-	-
7146805	DN 20 3/4	38	-	-



500

ABS manual adjustment knob for valves M 87 and M 88, white coloured (RAL 9016).

CODE	SIZE	g	\Rightarrow	
4761603	-	11	-	-



M 522

PA 6 (polyamide) counterprobe with flow diverter for M 4-way single pipe valves.

CODE	SIZE	g	\Rightarrow	
7761811	-	3	-	-



512

Brass stuffing nut for stem PTFE cylindrical gasket, valves M 87 and M 88.

CODE	SIZE	g	\Rightarrow	
1946602	-	7	-	-



M 523

PA 6 (polyamide) probe with flow diverter for 4-way single pipe valves.

CODE	SIZE	g	\Rightarrow	
7761803	DN 15 1/2	7	-	-
7761805	DN 20 3/4	7	-	-



M 524

Fasit omnia flat washer for radiator connection for 4-way single pipe valves.

CODE	SIZE	g	\Rightarrow	
3405855	-	2	-	-





M 526

Chrome plated soft steel pipe to connect single pipe groups with double connection (reverse valves and straight valves with 90° fitting connected to distributors M 340, M 340/A, M 350, M 350/A, M 360, M 360/A, M 370 and M 370/A).

CODE	SIZE	LENGHT	g	\Rightarrow	
67500115	Ø 15 mm	500 mm	172	-	-
67500215	Ø 15 mm	600 mm	208	-	-
67500315	Ø 15 mm	800 mm	278	-	-
67500015	Ø 15 mm	1000 mm	348	-	-



M 532

Brass adapter with o-ring for single / double pipe distributors.

CODE	SIZE	g	\Rightarrow	
69190000	3/4 M x 1/2 M	30	100	800



M 533

Brass eurokonus adapter with o-ring for single / double pipe distributors.

CODE	SIZE	g	\Rightarrow	
69190200	-	10	100	800



CONDITION OF SALE

ORDERS

Contracts entered by agents or representative are not definitive until they are regularly accepted by supplier. The orders sent either through our Agents or directly, are accepted under the "General Sales Conditions" described in the present Price List terms, and will agree, without reservation, to the terms below.

INCOTERMS

The consignments are always Ex works unless differently agreed in the sales contract.

PAYMENT TERMS

The payment terms are those specified in the offers and the order confirmation and are binding.

In case of delay of payment with respect to the agreed due terms, the commercial interest shall be calculated. The delayed payment of previous supplies will authorize us to cancel all orders in progress. Agents and representative are not entitled to collect credits, unless clearly authorised in writing by the supplier.

CLAIMS

Claims on quantities will be accepted within 8 days from the date of receipt of goods. The supplier will not be responsible for missing or damaged packages, unless in the despatch note it is clearly written "accepted with reservation".

COURT

For any controversies the place of jurisdiction shall be: the Court of Low of Brescia.

PRICES

Prices indicated are those clearly agreed in the contract sales confirmed by our order confirmation.

DELIVERY TERMS

The articles part of this catalogue will be consigned within a term of 90 days from order acceptance. Any date inferior to this term is not to be considered accepted unless confirmed in order confirmation.

The delivery times are not binding for the supplier, who will not respond for any damages arising directly or indirectly from delivery delays, or from a total or partial interruption of the supply.

PACKAGING

The standard packaging is at suppliers charges.

The standard packaging does not include special out of size or particular. Where any special packaging is required this will be at customer's charges, unless previously agreed in writing in the contract sales.

RETURN OF GOODS

No goods will be accepted without our previous authorization.

MINIMUM ORDER VALUE

The supplier in addition to checking the feasibility will have the right to deliver orders with a minimum value of 500 Euro.

WARRANTY

The guarantee terms refer to article 3 and 5 of the 199/44/CE Directive. The guarantee is supported by an adequate insurance policy for the "Product Third Party Liability". The guarantee declines any responsibility whereas the installation and the test have not been correctly carried out. The wholesalers and the retailers are compelled to illustrate to their customers and installers all the useful care for a correct installation of our materials.

CATALOGUE VALIDY

Illustrations, data and references published in this issue are not binding on the supplier who reserves the right to make reasonable changes, both technical and commercial, at his discretion at any time, still without lowering the design performance of the goods.