



60 YEARS OF ITALIAN TRADITION

Luxor is an important industrial reality, world wide and European market leader in the production of flexible hoses and components for hydro and thermo-sanitary installations. Luxor has been the expression of the most prestigious made in Italy and the great Italian high technology mechanical workings tradition for fifty years; a quality certified and recognized by the most prestigious International Certification Institutes all over the world.

Our mission is the complete customer satisfaction through a process of continuous technological research in order to make high quality, reliable products, anticipating the market evolutions by innovative partnership with both customers and suppliers. Luxor mission takes

place in its own Research and Development Centre in which new and advanced technologies are constantly analyzed and researched with continuous investments to offer the most innovative and reliable solutions for the international markets at competitive costs, ensuring strict quality controls on each single piece.

Luxor entirely plans and realizes each product, thanks to its decennial know how. The great production strength, a "slender" innovative and advanced industrial organization together with a modern logistic conception, make Luxor able to satisfy every kind of request, even customized, with fast deliveries all over the world.



Luxor is certified ISO 9001:2015 by DEKRA Group certification body

CERTIFICATION



Please contact our offices for information about technical specifications and certified products or visit the website of the corresponding certification body for the latter.

Please refer to www.nsf.org for a complete list of NSF approved products.
Please refer to www.iapmort.org for a complete list of UPC/CUPC approved products.




LUXOR®

MANIFOLDS

2.A / ACCESSORIES


THERMOSTATIC HEADS



TT 3051

Thermostatic head for underfloor heating with remote probe. Temperature range 20 °C÷65 °C. Standard length of capillary 2 m.


CODE	SIZE	open		closed		D	E	F	G	H	L	⊕	📦	📦
		A	B	C	B									
69100005	M30x1,5	80	75	47	11	110	M30x1,5	-	-	-	146	1	32	



TT 3061

Thermostatic head for underfloor heating with G1/2 M housing to connect remote probe. Temperature range 20 °C÷65 °C. Standard length of capillary 2 m.

CODE	SIZE	open		closed		D	E	F	G	H	L	⊕	📦	📦
		A	B	C	B									
69100006	M30x1,5	80	75	47	15	95	M30x1,5	G 1/2	110	-	232	1	32	



PS 540

Housing for probe.

CODE	SIZE	A	B	C	D	E	F	G	H	L	⊕	📦	📦
9446950	G 1/2	-	-	-	15	95	-	G 1/2	-	-	92	20	160




DT 242

Probe fixing device for art. TT 3051.

CODE	SIZE	⊕	📦	📦
69010500	-	30	20	160

ACCESSORIES FOR DISTRIBUTION MANIFOLDS




TC 430

End cap with EPDM flat gasket.



*In compliance with
D.M. 174/2004


CODE	SIZE	A	B	C	D	E	F	G	H	L			
68502701	G 3/4	13	30	11	-	-	G 3/4	-	-	-	37	100	800
68503401	G 1"	15	37	12	-	-	G 1"	-	-	-	60	50	400



TC 450

Lateral end cap with flat gasket.


CODE	SIZE	FINISH	A	B	C	D	E	F	G	H	L			
68552419	(W24x19)	YELLOW	11	27	8	-	-	W24x19	-	-	-	25	100	800
68552419N	(W24x19)	NICKEL PLATED	11	27	8	-	-	W24x19	-	-	-	25	100	800



TC 460

End cap with o-ring.


CODE	SIZE	FINISH	A	B	C	D	E	F	G	H	L			
68559917	G 3/8	YELLOW	13	20	8	-	-	G 3/8	-	-	-	20	200	1600
68559921	G 1/2	YELLOW	13	22	7	-	-	G 1/2	-	-	-	20	100	800
68559927	G 3/4	YELLOW	14	25	7	-	-	G 3/4	-	-	-	32	100	800
68559934	G 1"	YELLOW	19	27	9	-	-	G 1"	-	-	-	52	50	400
68559942	G 1" 1/4	YELLOW	25	38	12	-	-	G 1" 1/4	-	-	-	94	30	240
68559917N	G 3/8	NICKEL PLATED	13	20	8	-	-	G 3/8	-	-	-	20	200	1600
68559921N	G 1/2	NICKEL PLATED	13	22	7	-	-	G 1/2	-	-	-	20	100	800
68559927N	G 3/4	NICKEL PLATED	14	25	7	-	-	G 3/4	-	-	-	32	100	800
68559934N	G 1"	NICKEL PLATED	19	27	9	-	-	G 1"	-	-	-	52	50	400
68559942N	G 1" 1/4	NICKEL PLATED	25	38	12	-	-	G 1" 1/4	-	-	-	94	30	240






TC 462


Cap with adapter and o-ring.

CODE	SIZE	FINISH	A	B	C	D	E	F	G	H	L			
68559901	G 3/4 x G 3/8	YELLOW	14	25	8	-	-	G 3/4	G 3/8	-	-	31	100	800
68559905	G 3/4 x G 1/2	YELLOW	14	25	8	-	-	G 3/4	G 1/2	-	-	23	100	800
68559902	G 1" x G 3/8	YELLOW	19	27	10	-	-	G 1"	G 3/8	-	-	60	50	400
68559903	G 1" x G 1/2	YELLOW	19	27	10	-	-	G 1"	G 1/2	-	-	56	50	400
68559904	G 1" x G 3/4	YELLOW	19	27	10	-	-	G 1"	G 3/4	-	-	58	50	400
68559908	G 1" 1/4 x G 1/2	YELLOW	24	38	11	-	-	G 1" 1/4	G 1/2	-	-	136	30	240
68559909	G 1" 1/4 x G 3/4	YELLOW	24	38	11	-	-	G 1" 1/4	G 3/4	-	-	116	30	240
68559910	G 1" 1/4 x G 1"	YELLOW	24	38	11	-	-	G 1" 1/4	G 1"	-	-	82	30	240
68559901N	G 3/4 x G 3/8	NICKEL PLATED	14	25	8	-	-	G 3/4	G 3/8	-	-	31	100	800
68559905N	G 3/4 x G 1/2	NICKEL PLATED	14	25	8	-	-	G 3/4	G 1/2	-	-	23	100	800
68559902N	G 1" x G 3/8	NICKEL PLATED	19	27	10	-	-	G 1"	G 3/8	-	-	60	50	400
68559903N	G 1" x G 1/2	NICKEL PLATED	19	27	10	-	-	G 1"	G 1/2	-	-	56	50	400
68559904N	G 1" x G 3/4	NICKEL PLATED	19	27	10	-	-	G 1"	G 3/4	-	-	58	50	400
68559908N	G 1" 1/4 x G 1/2	NICKEL PLATED	24	38	11	-	-	G 1" 1/4	G 1/2	-	-	136	30	240
68559909N	G 1" 1/4 x G 3/4	NICKEL PLATED	24	38	11	-	-	G 1" 1/4	G 3/4	-	-	116	30	240
68559910N	G 1" 1/4 x G 1"	NICKEL PLATED	24	38	11	-	-	G 1" 1/4	G 1"	-	-	82	30	240




**TC 435**


End cap with adapter.

CODE	SIZE	A	B	C	D	E	F	G	H	L			
68502702	G 3/4 x G 3/8	17	31	11,5	-	-	G 3/4	G 3/8	-	-	50	100	800
68503402	G 1" x G 3/8	21	37	13	-	-	G 1"	G 3/8	-	-	66	50	400
68503406	G 1" x G 1/2	21	37	13	-	-	G 1"	G 1/2	-	-	64	50	400




**TC 440**


Terminal with female connections.

CODE	SIZE	A	B	C	D	E	F	G	H	L			
68502708	G 3/4xG 1/2xG 1/2	33	-	41	-	-	G 3/4	G 1/2	G 1/2	-	140	25	200
68503408	G 1"xG 3/8xG 1/2	23,5	37	58	-	-	G 1"	G 3/8	G 1/2	-	133	25	200

**TC 445**


Terminal with female 3/8 (for air vent valve) male 1/2 (for water drain valve) connections.

CODE	SIZE	A	B	C	D	E	F	G	H	L			
68502705	G 3/4	23,5	37	-	-	-	G 3/4	G 3/8	G 1/2	-	158	25	200
68503405	G 1"	23,5	37	-	-	-	G 1"	G 3/8	G 1/2	-	118	25	200



**TC 465**


M-M locknut union fitting with o-rings for manifold CD series.

CODE	SIZE	FINISH	A	B	C	D	E	F	G	H	L			
68559635	G 1" x G 1"	YELLOW	37	37	16	-	-	G 1"	-	-	-	121	15	120
68559642	G 1"1/4 x G 1"1/4	YELLOW	45	48	20	-	-	G 1"1/4	-	-	-	245	10	80
68559635N	G 1" x G 1"	NICKEL PLATED	37	37	16	-	-	G 1"	-	-	-	121	15	120
68559642N	G 1"1/4 x G 1"1/4	NICKEL PLATED	45	48	20	-	-	G 1"1/4	-	-	-	245	10	80

**TC 464**

M-M union fitting with o-rings.


CODE	SIZE	FINISH	A	B	C	D	E	F	G	H	L			
68559827	G 3/4 x G 3/4	YELLOW	27	30	7	-	-	G 3/4	-	-	-	66	80	640
68559834	G 1" x G 1"	YELLOW	28	37	8	-	-	G 1"	-	-	-	85	50	400
68559842	G 1"1/4 x G 1"1/4	YELLOW	34	48	10	-	-	G 1"1/4	-	-	-	153	20	160
68559827N	G 3/4 x G 3/4	NICKEL PLATED	27	30	7	-	-	G 3/4	-	-	-	66	80	640
68559834N	G 1" x G 1"	NICKEL PLATED	28	37	8	-	-	G 1"	-	-	-	85	50	400
68559842N	G 1"1/4 x G 1"1/4	NICKEL PLATED	34	48	10	-	-	G 1"1/4	-	-	-	153	20	160



RD 901

Straight F-F union fitting.


CODE	SIZE	A	B	C	D	E	F	G	H	L			
7146770N	G 3/4	33	32	-	-	-	G 3/4	-	-	-	62	30	240
7146772N	G 1"	33	41	-	-	-	G 1"	-	-	-	93	20	160



CD 1466/1

One outlet manifold with built-in valve set for electrothermal adjustment and protection cap.


CODE	SIZE	A	B	C	D	E	F	G	H	L			
15112401N	G 1" x (W24x19)	54	37	37	43	W24x19	G 1"	G 1/2	80	-	322	2	64



CD 1446/1

One outlet manifold with built-in valve set for electrothermal adjustment and protection cap.


CODE	SIZE	A	B	C	D	E	F	G	H	L			
15112701N	G 1" x G 3/4 EK	54	37	37	43	G 3/4 EK	G 1"	G 1/2	80	-	333	2	64



CD 449/1

One outlet manifold with built-in lockshield.


CODE	SIZE	A	B	C	D	E	F	G	H	L			
15212401N	G 1" x (W24x19)	54	37	37	39	W24x19	G 1"	G 1/2	76	-	310	2	64






CD 448/1


One outlet manifold with built-in lockshield.

CODE	SIZE	A	B	C	D	E	F	G	H	L			
15212701N	G 1" x G 3/4 EK	54	37	37	39	G 3/4 EK	G 1"	G 1/2	76	-	321	2	64




**CD 1474/1**

One outlet manifold with regulator/
flow meter.

CODE	SIZE	A	B	C	D	E	F	G	H	L			
15252401N	G 1" x (W24x19)	54	37	37	76	W24x19	G 1"	G 1/2	113	-	298	2	64

**CD 474/1**

One outlet manifold with regulator/
flow meter.

CODE	SIZE	A	B	C	D	E	F	G	H	L			
15252701N	G 1" x G 3/4 EK	54	37	37	76	G 3/4 EK	G 1"	G 1/2	113	-	326	2	64

**KC 650**

Kit for manifold CD series consisting of:

- n. 1 angle ball valve with blue handle
- n. 1 angle ball valve with red handle
- n. 2 seal fittings with swivel nut
- n. 2 manual air vent valves
- n. 2 water drain valves
- n. 2 thermometers
- n. 2 lateral end caps.

***ARTICLE DISCONTINUED.**

CODE	SIZE			
68559754	G 1"	1694	1	8
68559762*	G 1"1/4	2992	1	8

**KC 652**

Kit for manifold CD series consisting of:

- n. 1 angle ball valve with blue handle
- n. 1 angle ball valve with red handle
- n. 2 seal fittings with swivel nut
- n. 2 manual air vent valves
- n. 2 water drain valves
- n. 2 thermometers
- n. 2 lateral end caps.

CODE	SIZE			
68559758	G 1"	2112	1	8
68559766	G 1"1/4	2460	1	8

**KC 651**

Kit for manifold CD series consisting of:

- n. 1 angle ball valve with blue handle
- n. 1 angle ball valve with red handle
- n. 2 seal fittings with swivel nut
- n. 2 automatic air vent valves
- n. 2 water drain valves
- n. 2 thermometers
- n. 2 lateral end caps.

***ARTICLE DISCONTINUED.**


CODE	SIZE			
68559756	G 1"	1996	1	8
68559764*	G 1"1/4	3294	1	8

**KC 653**

Kit for manifold CD series consisting of:

- n. 1 angle ball valve with blue handle
- n. 1 angle ball valve with red handle
- n. 2 seal fittings with swivel nut
- n. 2 automatic air vent valves
- n. 2 water drain valves
- n. 2 thermometers
- n. 2 lateral end caps.


CODE	SIZE			
68559760	G 1"	2414	1	8
68559768	G 1"1/4	2762	1	8



CR 489

Soft seal fitting with locknut for ball valve with 3 connections.


CODE	SIZE	A	B	C	D	E	F	G	H	L			
68503425	G 1" x G 1/2	54	37	-	-	-	G 1"	G 1/2	-	-	187	16	128



CR 491

Soft seal swivel nut fitting for ball valve with 3 connections.


CODE	SIZE	A	B	C	D	E	F	G	H	L			
68559781	G 1" x G 1/2	53	-	-	-	G 1"	G 1"1/4	G 1/2	-	-	230	16	128
68559785	G 1"1/4 x G 1/2	66	-	-	-	G 1"1/4	G 1"1/2	G 1/2	-	-	382	8	64



CR 490

Soft seal fitting with locknut for ball valve with adjustable thermometer, automatic air vent valve and adjustable water drain tap.


CODE	SIZE	A	B	C	D	E	F	G	H	L			
68503430	G 1"	54	136	37	-	-	G 1"	G 3/4	-	-	530	4	32



CR 492

Soft seal fitting with locknut for ball valve with adjustable thermometer, manual air vent valve and adjustable water drain tap.


CODE	SIZE	A	B	C	D	E	F	G	H	L			
68503434	G 1"	54	90	37	-	-	G 1"	G 3/4	-	-	379	4	32






RD 458


Three pieces M-M union fitting with o-ring.

CODE	SIZE	A	B	C	D	E	F	G	H	L			
68992700N	G 3/4	37	52	42	-	-	-	G 3/4	-	-	168	20	160
68993400N	G 1"	47	54	45	-	-	-	G 1"	-	-	262	15	120




**RD 455**


Three pieces M-M union fitting with o-ring.

CODE	SIZE	A	B	C	D	E	F	G	H	L			
68992701N	G 3/4	37	48	29	-	-	-	G 3/4	-	-	120	20	160
68993401N	G 1"	46	48	28	-	-	-	G 1"	-	-	238	15	120




**CR 498**


Nickel plated brass nut and fitting with o-ring to connect valves to distribution manifolds.

CODE	SIZE	A	B	C	D	E	F	G	H	L			
67901700	DN 10 3/8	26	18	-	-	-	G 5/8	G 3/8	-	-	60	50	400
67902100	DN 15 1/2	26	18	-	-	-	G 3/4	G 1/2	-	-	71	50	400
67902700	DN 20 3/4	33	23	-	-	-	G 1"	G 3/4	-	-	120	20	160
67903400	DN 25 1"	36	25	-	-	-	G 1 1/4	G 1"	-	-	220	15	120
67904200	DN 32 1 1/4	41	35	-	-	-	G 1 1/2	G 1 1/4	-	-	240	10	80




**CR 498/A**


Nickel-plated nut and fitting with flat gasket.

CODE	SIZE	A	B	C	D	E	F	G	H	L			
67922100	DN 15 1/2	23	15	-	-	-	G 3/4	G 1/2	-	-	68	50	400
67922700	DN 20 3/4	29,5	19,5	-	-	-	G 1"	G 3/4	-	-	104	20	160
67924200	DN 32 1 1/4	36	22,5	-	-	-	G 1 1/2	G 1 1/4	-	-	217	10	80




**CR 498/B**


Fitting CR 498 increased by 50 mm.

CODE	SIZE	A	B	C	D	E	F	G	H	L			
67913400	DN 25 1"	77	66	-	-	-	G 1 1/4	G 1"	-	-	245	10	80

**CR 499**


Nickel-plated fitting with swivel nut, locknut, o-ring and thermometer to connect ball valves to distribution manifold CD series.

CODE	SIZE	A	B	C	D	E	F	G	H	L			
68503428	G 1"	57	37	40	46	-	G 1"	G 1 1/4	-	-	270	8	64
68504228	G 1 1/4	78	48	40	66	-	G 1 1/4	G 1 1/2	-	-	496	4	32




RT 488
Thermometer.

CODE	SIZE	A	B	C	D	E	F	G	H	L			
68559854	-	40	42	10	9	-	-	-	-	-	28	15	120




RT 487
Thermometer with housing.

CODE	SIZE	A	B	C	D	E	F	G	H	L			
68559851	G 3/8	40	40	16	-	-	G 3/8	-	-	-	56	10	80
68559852	G 1/2	40	43	29	-	-	G 1/2	-	-	-	56	10	80




RTA 489
Axial thermometer with fitting and check valve.

CODE	SIZE	A	B	C	D	E	F	G	H	L			
68559855	G 1/2	65	51	80	34	-	G 1/2	-	-	-	155	1	50







RTR 490
Radial thermometer with fitting and check valve.

CODE	SIZE	A	B	C	D	E	F	G	H	L			
68559856	G 1/2	108	94	80	34	-	G 1/2	-	-	-	152	1	50

**SD 484**

Nickel plated splitter.


CODE	SIZE	A	B	C	D	E	F	G	H	L			
68502419	(W24x19)	58	27	36	-	-	W24x19	-	-	-	130	10	80
68502700	G 3/4 EK	58	30	36	-	-	G 3/4 EK	-	-	-	147	10	80

**SA 483**




Nickel plated terminal for manifolds, with swivel nut and built-in brass water drain tap:


- connection for air vent valve.

CODE	SIZE	A	B	C	D	E	F	G	H	L			
68503409	G 1" x G 3/8	24	37	-	72	5	G 1"	G 3/8	G 3/4	-	252	10	80
68503424	G 1" x G 1/2	24	37	-	72	5	G 1"	G 1/2	G 3/4	-	242	10	80




**SA 483/A**


Nickel plated terminal for manifolds, with swivel nut, built-in brass water drain tap and air vent valve.

CODE	SIZE	A	B	C	D	E	F	G	H	L			
68503423	G 1"	24	37	-	135	5	G 1"	-	G 3/4	-	417	8	64

**SA 483/B**




Nickel-plated terminal with locknut, water drain tap and built-in air vent valve.


CODE	SIZE	A	B	C	D	E	F	G	H	L			
68503426	G 1"	24	37	-	90	5	G 1"	-	G 3/4	-	266	8	64

**TC 488**

Terminal for manifolds with locknut:

- G 3/8 female or G 1/2 female connection for air vent valve
- G 1/2 female connection for water drain valve.


CODE	SIZE	A	B	C	D	E	F	G	H	L			
68503420	G 1/2 x G 1/2	24	37	-	41	-	G 1"	G 1/2	G 1/2	-	130	20	160
68503422	G 1/2 x G 3/8	24	37	-	41	-	G 1"	G 3/8	G 1/2	-	140	20	160



SA 492

Nickel-plated water drain valve with plug, lanyard and rotating drain.

CODE	SIZE	A	B	C	D	E	F	G	H	L			
68559815	G 1/2	34	5	25,5	-	24	G 1/2	G 3/4	-	-	112	30	240



SA 494

Nickel plated ball valve for water drain, with lever, rubber holder and plug.


CODE	SIZE	A	B	C	D	E	F	G	H	L			
68559799	G 1/2	68	47	15	-	-	G 1/2	-	-	-	107	15	120



CB 1205

Insulation for 12-way manifolds CD series and CX.


CODE	SIZE			
72000064	CD G 1"	156	-	6
72000066	CX G 1"	149	-	6
72000065	CD G 1 1/4"	180	-	6



TM 4012

Regulator/flow meter 0,5÷5 l/min.


CODE	SIZE	A	B	C	D	E	F	G	H	L			
69000010	G 1/2	57	61	30	24	-	G 1/2	-	-	-	60	25	200






TM 4014

Regulator/flow meter 0,5÷5 l/min.

CODE	SIZE	A	B	C	D	E	F	G	H	L			
69000018	G 1/2	68,5	74	32,5	24	-	G 1/2	-	-	-	36	20	160




**560**

Thermostatic adjustment screw for manifolds CD series.

CODE	SIZE	CLOSING POINT	STROKE	A	B	C	D	E	F	G	H	L			
9446870	G 1/2	11,8	2,7	2,7	23	G 1/2	19	-	-	-	-		66	50	400

**555**


Screw for CP series sanitary manifolds with shut-off valves.

CODE	SIZE	CP SERIES MANIFOLDS			
9446820	G 3/8	for use with CP G 3/4 manifolds	38	50	400
9446822	G 3/8	for use with CP G 1" manifolds	40	50	400




**516**


Full sealing assembly for thermostatic and thermoelectric screw stem.

CODE	SIZE			
67980200	-	6	-	-

**563**

Lockshield screw fit for double micrometric balancing for manifold CD series.

CODE	FINISH	SIZE	STROKE	A	B	C	D	E	F	G	H	L			
9446841	YELLOW	G 1/2	7,8	20	G 1/2	24	-	-	-	-	-	-	66	50	400
9446843	NICKEL PLATED	G 1/2	7,8	20	G 1/2	24	-	-	-	-	-	-	66	50	400

**501**

Adjustment collar for lockshield for manifolds CD series.

CODE	SIZE	A	B	C	D	E	F	G	H	L			
3346656	-	5	8	-	-	-	G 1/4	-	-	-	1	-	-



567

Fitting with seat for thermostatic screw art. 560, adjustment lockshield screw art. 563 and regulator/flow meter art. TM 4012, for manifold CD series.

CODE	SIZE	FINISH	A	B	C	D	E	F						
68552678	CD G 1" G 1/2 x (W24x19)	YELLOW	26	10	9,3	24	G 1/2	W24x19	TR 91	TP 95	TP 97	43	50	400
68552679	CD G 1 1/4 G 1/2 x (W24x19)	YELLOW	36	10	19,3	24	G 1/2	W24x19	TR 91	TP 95	TP 97	49	50	400
68552675	CD G 1" G 1/2 x G 3/4 EK	YELLOW	26	10,5	9,3	27	G 1/2	G 3/4 EK	TR 91/A	TP 98	TP 99	54	50	400
68552677	CD G 1 1/4 G 1/2 x G 3/4 EK	YELLOW	36	10,5	19,3	27	G 1/2	G 3/4 EK	TR 91/A	TP 98	TP 99	60	50	400
68552678N	CD G 1" G 1/2 x (W24x19)	NICKEL PLATED	26	10	9,3	24	G 1/2	W24x19	TR 91	TP 95	TP 97	43	50	400
68552679N	CD G 1 1/4 G 1/2 x (W24x19)	NICKEL PLATED	36	10	19,3	24	G 1/2	W24x19	TR 91	TP 95	TP 97	49	50	400
68552675N	CD G 1" G 1/2 x G 3/4 EK	NICKEL PLATED	26	10,5	9,3	27	G 1/2	G 3/4 EK	TR 91/A	TP 98	TP 99	53	50	400
68552677N	CD G 1 1/4 G 1/2 x G 3/4 EK	NICKEL PLATED	36	10,5	19,3	27	G 1/2	G 3/4 EK	TR 91/A	TP 98	TP 99	60	50	400




TM 4005


Flow meter 1÷4 l/min.

CODE	SIZE	A	B	C	D	E	F	G	H	L						
69000012	(W24x19) x (W24x19)	72	-	-	-	-	W24x19	W24x19	-	-	TR 91	TP 95	TP 97	126	25	200
69000015	G 3/4 EK x G 3/4 EK	64	-	-	-	-	G 3/4 EK	G 3/4 EK	-	-	TR 91/A	TP 98	TP 99	138	25	200

FLOW METER FLOW RATE CHART



ITEM	SIZE	Kvs	POS
TM 4005	W24x19	1,15	1
TM 4005	G 3/4 EK		2



ADJUSTABLE BRACKET



The bracket has an adjustable wheelbase of 200 - 210 - 220 - 230 - 240 - 250 - 260 mm as needed.

The universal bracket is suitable for all Luxor manifolds with the exception of the 1/4"G1 CD series.

TECHNICAL DATA



Screw material

Fe



Bracket material


DD11



Upright material

PA6

INSTRUCTIONS FOR USE OF ADJUSTABLE BRACKETS SC 497



1. Insert the jumpers on the bracket by sliding them into the "H". profile.



5. The jumper is composed of a flexible clamp that can wrap any shape of the product to be fixed with this bracket.



2. Align the central hole with the desired centre distance (for example in the image 200mm), adjustment from 200mm to 260mm.



6. The clamp can be locked in 2 ways. The first involves inserting the fixed pin of the jumper into one of the holes of the clamp. This allows the product to be positioned without the use of tools. In some installations it may be sufficient because it is not necessary to securely anchor the manifold.




3. Disconnect the locking pin from the jumper and insert it into the appropriate seat.






7. The clamp can be locked in 2 ways. The second involves the use of a self-tapping screw which, positioned in the appropriate hole of the clamp, can tighten and securely lock the manifold to the bracket.




4. Repeat the operation with the other jumper for the unadjustable fixed position.



**SC 497**


Adjustable and universal metal/polyamide bracket for fixing the manifolds to metal or wall boxes.

CODE	SIZE	A	B	C	D	E	F	G	H	L			
68559538	-	327.5	39	30	30.5	20	-	-	-	-	140	-	100







**SC 496**


Metal bracket for manifolds CD series and CX.

CODE	SIZE	A	B	C	D	E	F	G	H	L			
68559528	CD G 3/4 x 200	319	200	12	79	34	6 MA	119	-	-	270	-	100
68559535	CD G 1" x 200	319	200	12	79	30	6 MA	119	-	-	260	-	100
68559537	CX G 1" x 200	319	200	12	79	30	6 MA	119	-	-	265	-	100
68559734	CD G 1" x 250	366	250	12	89	-	6 MA	-	-	-	294	-	50
68559543	CD G 1"1/4 x 200	319	200	12	90	30	6 MA	114	-	-	290	-	80







**SC 496/A**


Simple metal bracket for manifolds.

CODE				A	B	C	D	E	F			
68559429	3/4	1"	3/4	162,5	-	12	56,5	-	6 MA	140	-	100
68559436	1"	-	-	162,5	-	12	56,5	-	6 MA	134	-	100
68559437	-	-	1"	162,5	-	12	56,5	-	6 MA	138	-	100
68559442	1"1/4	-	-	162,5	-	12	56,5	-	6 MA	148	-	100

**SC 496/B**

High simple metal bracket for manifolds.

CODE				A	B	C	D	E	F			
68559428	3/4	1"	3/4	160	82	12	92	-	6 MA	136	-	70
68559435	1"	-	-	160	82	12	92	-	6 MA	136	-	70
68559433	-	-	1"	160	82	12	92	-	6 MA	140	-	70
68559443	1"1/4	-	-	160	87	12	103	-	6 MA	149	-	70



CF 477

Modular universal plastic cabinet with bottom, complete with bearings to fix modular simple, coplanar manifolds and distribution manifolds.


CODE	SIZE	A	B	C	D	E	F	G	H	L			
68560432	272 x 332 x 86	260	320	272	332	86	290	350	18	-	1000	1	20
68560440	272 x 412 x 86	260	400	272	412	86	290	430	18	-	1250	1	20
68560450	272 x 512 x 86	260	500	272	512	86	290	530	18	-	1500	1	20
68560460	272 x 612 x 86	260	600	272	612	86	290	630	18	-	1750	1	20



AC 477

Replacement accessories for fixing the manifolds inside the cabinet CF 477.

CODE	SIZE			
68560001	-	60	1	-



CF 479

Replacement accessories for fixing the manifolds inside the cabinet CF 479.


CODE	SIZE	A	B	C	D	E	F	G	H	L			
68560332	290 x 330 x 88	280	320	290	330	88	320	360	10	-	930	1	5
68560342	310 x 430 x 88	300	420	310	430	88	340	460	10	-	1175	1	5
68560352	330 x 530 x 88	320	520	330	530	88	360	560	10	-	1425	1	5
68560362	330 x 625 x 88	320	615	330	625	88	360	660	10	-	1715	1	5



AC 479

Replacement accessories for fixing the manifolds inside the cabinet CF 479.

CODE	SIZE			
68560005	-	70	1	-



CT 474




Plastic frame and cover.

CODE	SIZE	A	B	C	D	E	F	G	H	L			
68560040	240 x 400	230	390	305	465	14	265	425	10	-	501	-	50
68560050	240 x 500	230	490	305	565	14	265	525	10	-	622	-	35
68560060	240 x 600	230	590	305	665	14	265	625	10	-	752	-	35

**CT 488**

Frame with door white enameled RAL 9016. Replacement for CF 485, CF486, CF 487 and CF 492.




ARTICLE DISCONTINUED.


CODE	SIZE			
68561005	500 x 450	3	-	1
68561007	700 x 450	4	-	1
68561008	850 x 450	5	-	1
68561010	1000 x 450	6	-	1
68561012	1200 x 450	7	-	1

**CT 489**




Frame and door white steel RAL 9016. Replacement for CF 489, CF 490 and CF 491.


ARTICLE DISCONTINUED.

CODE	SIZE			
68561105	500 x 560	4	-	1
68561107	700 x 560	5	-	1
68561108	850 x 560	6	-	1
68561110	1000 x 560	7	-	1
68561112	1200 x 560	8	-	1
68561113	1300 x 560	9	-	1




**CF 485**


Zinc-plated steel wall cabinet for heating and sanitary applications, with adjustable frame and bearings, RAL 9016 white door and frame, for manifolds CD series.

CODE	SIZE	A	B	C	D	E	F	G	H	L			
68560705	500 x 620 x 110	530	562	500	620	750	110	150	450	490	8	-	1
68560707	700 x 620 x 110	530	762	700	620	750	110	150	450	690	11	-	1
68560708	850 x 620 x 110	530	912	850	620	750	110	150	450	840	14	-	1
68560710	1000 x 620 x 110	530	1062	1000	620	750	110	150	450	990	17	-	1
68560712	1200 x 620 x 110	530	1262	1200	620	750	110	150	450	1190	20	-	1

**CF 490**

Zinc-plated steel wall cabinet for heating and sanitary applications, with adjustable frame and bearings, RAL 9016 white door and frame, for manifolds CD series.


CODE	SIZE	A	B	C	D	E	F	G	H	L			
68561405	500 x 720 x 90	630	560	500	720	860	90	130	560	490	9	-	1
68561407	700 x 720 x 90	630	760	700	720	860	90	130	560	690	12	-	1
68561408	850 x 720 x 90	630	910	850	720	860	90	130	560	840	15	-	1
68561410	1000 x 720 x 90	630	1060	1000	720	860	90	130	560	990	18	-	1
68561412	1200 x 720 x 90	630	1260	1200	720	860	90	130	560	1190	21	-	1
68561413	1300 x 720 x 90	630	1360	1300	720	860	90	130	560	1290	22,5	-	1



CF 491

Zinc-plated steel wall cabinet for heating and sanitary applications, with adjustable frame, RAL 9016 white door and frame, for manifolds CD series.

CODE	SIZE	A	B	C	D	E	F	G	H	L			
68561505	500 x 600 x 90	630	560	500	600	90	130	560	490	-	8	-	1
68561507	700 x 600 x 90	630	760	700	600	90	130	560	690	-	11	-	1
68561508	850 x 600 x 90	630	910	850	600	90	130	560	840	-	13	-	1
68561510	1000 x 600 x 90	630	1060	1000	600	90	130	560	990	-	15	-	1
68561512	1200 x 600 x 90	630	1260	1200	600	90	130	560	1190	-	18	-	1



CF 492

Zinc-plated steel wall cabinet for heating and sanitary applications, with adjustable frame, RAL 9016 white door and frame, for manifolds CD series.

CODE	SIZE	A	B	C	D	E	F	G	H	L			
68561605	500 x 500 x 80	530	562	500	500	80	120	450	490	-	7	-	1
68561607	700 x 500 x 80	530	762	700	500	80	120	450	690	-	9	-	1
68561608	850 x 500 x 80	530	912	850	500	80	120	450	840	-	10,5	-	1



AC 490

Accessories kit: rails, bolts for cabinets CF 485 and CF 492.

CODE	SIZE			
68560002	-	434	1	-



AC 489


Accessories kit: rails, bolts for cabinets CF 490 and CF 491.

CODE	SIZE			
68560003	-	506	1	-

G 1"


HOW TO CHOOSE THE RIGHT CABINET

G 1" MANIFOLD



							CABINETS	
OUTLETS	A	B	C	D	E	F	ITEM	CODE
2	112	276	500	560	490	W24x19 - G 3/4 EK	CF 490	68561405
3	162	326						
4	212	376						
5	262	426	700	760	690		CF 490	68561407
6	312	476						
7	362	526						
8	412	576	850	910	840		CF 490	68561408
9	462	626						
10	512	676						
11	562	726	1000	1060	990		CF 490	68561410
12	612	776						
13	662	826						

G 1" MANIFOLD WITH DRAIN




							CABINETS	
OUTLETS	A	B	C	D	E	F	ITEM	CODE
2	162	276	500	560	490	W24x19 - G 3/4 EK	CF 490	68561405
3	212	326						
4	262	376						
5	312	426	700	760	690		CF 490	68561407
6	362	476						
7	412	526						
8	462	576	850	910	840		CF 490	68561408
9	512	626						
10	562	676						
11	612	726	662	776				
12	662	776						

G 1 1/4


HOW TO CHOOSE THE RIGHT CABINET

G 1 1/4 MANIFOLD



							CABINETS	
OUTLETS	A	B	C	D	E	F	ITEM	CODE
2	114	260	500	565	490	W24x19 - G 3/4 EK	CF 485	68560705
3	164	310						
4	214	360						
5	264	410						
6	314	460	700	765	690		CF 485	68560707
7	364	510						
8	414	560						
9	464	610						
10	514	660	850	915	840	CF 485	68560708	
11	564	710						
12	614	760						
13	664	810	1000	1065	990	CF 485	68560710	

G 1 1/4 MANIFOLD WITH DRAIN




							CABINETS	
OUTLETS	A	B	C	D	E	F	ITEM	CODE
2	164	310	500	565	490	W24x19 - G 3/4 EK	CF 485	68560705
3	214	360						
4	264	410						
5	314	460						
6	364	510	700	765	690		CF 485	68560707
7	414	560						
8	464	610						
9	514	660	850	915	840	CF 485	68560708	
10	564	710						
11	614	760						
12	664	810	1000	1065	990	CF 485	68560710	

G 1"

HOW TO CHOOSE THE RIGHT CABINET

G 1" MANIFOLD



OUTLETS							CABINETS	
	A	B	C	D	E	F	ITEM	CODE
2	130	210	500	560	490	W24x19 - G 3/4 EK	CF 490	68561405
3	180	260						
4	230	310						
5	280	360	700	760	690		CF 490	68561407
6	330	410						
7	380	460						
8	430	510	850	910	840		CF 490	68561408
9	480	560						
10	530	610						
11	580	660	1000	1060	990		CF 490	68561410
12	630	710						
13	680	760						
14	730	810						
15	780	860						
16	830	910						

GENERAL CONDITIONS OF SALE

- 1 PREMISES - 1.1** The present conditions of sale apply to all supplies of Luxor Spa Products (hereafter "Luxor"). Any general conditions, and in particular the conditions of purchase of the Buyer (hereafter "Customer"), unless expressly accepted in writing by Luxor, shall not bind the latter nor exempt the Customer from the application of the present General Conditions (hereafter GSC)
- 2. ORDERS - 2.1** The Purchase Orders (referred to as 'Orders') are an irrevocable purchase proposal. By placing an Order, customers fully accept the present General Conditions of Sale.
- 2.2** Orders are considered accepted only after Luxor confirms them in writing. The Order confirmation and/or Invoice issued by Luxor will be considered as confirmation.
- 2.3** Any changes to the Order requested by the Customer after the sending of the Order Confirmation will only be valid and enforceable after written acceptance by Luxor. Cancellation or modification of Orders without the prior written consent of Luxor, will give Luxor the right to act to obtain reimbursement of the costs incurred, without prejudice to the right to compensation for greater damages.
- 3 PRICES - 3.1** Luxor products will be invoiced based on the current price list at the time the order is accepted. Prices do not include VAT or any other taxes.
- 3.2** Prices listed in sales catalogues/lists are merely indicative and may be subject to change due to production cost increases. In such cases, Luxor will inform the purchaser of the price increase and provide the reasons.
- 4 DELIVERY TERMS - 4.1** The supplies in each individual Order will be delivered within the stated terms in the Order Confirmation.
- 4.2** Luxor will not be held responsible for delays in delivery that are not caused by Luxor, such as delays by third parties, including suppliers and sub-suppliers, shippers, and causes of force majeure that result in total or partial inactivity of the plants. In the cases mentioned above, the Customer cannot refuse delivery of the goods, even if it is only partial, nor can they use a delay in delivery as a reason to terminate the contract or claim damages.
- 5 SHIPMENTS - 5.1** The products will be delivered to the 'Assigned Port' (Incoterms 2020 EXW), with transport costs and risks borne by the buyer, unless otherwise agreed.
- 5.2** Even in the case of agreed delivery in "Free Port" (Incoterms 2020 DDP) with costs borne by Luxor, the goods will still travel at the buyer's risk. Regardless of the delivery terms agreed upon by the parties, the risks will pass to the buyer at the latest with delivery to the first carrier.
- 5.3** The transfer of ownership of the goods is suspended until the full price has been paid, but this does not affect the transfer of risk to the purchaser.
- 5.4** If special packaging is required, an additional charge as indicated in the price list or order confirmation will be added to the invoice.
- 6 PAYMENTS - 6.1** Payments are due as per the terms and manner specified in the order confirmation and/or invoice.
- 6.2** Unless otherwise expressly agreed, payments must be made to the bank details mentioned in the sales invoice. For payments made from abroad via bank transfer, the OUR option must be selected to ensure that Luxor receives the net amount on the invoice after deducting bank charges and expenses. Luxor does not authorize any third parties, including agents and representatives, to collect money on its behalf.
- 6.3** The Customer is not permitted to suspend or delay payments, even in the event of claims or complaints of defects, and must adhere to the agreed terms.
- 6.4** In case of payment interruption or suspension, the Customer will be considered in default. Luxor reserves the right to charge expenses and interest as per Art. 5 and 6 of D.Lgs n. 192/2012, without prejudice to the right to terminate the contract. Delayed payment may also result in Luxor excluding the guarantee for the entire period of delay.
- 6.5** If the Customer fails to adhere to the agreed payment terms, or interrupts or suspends payment, Luxor reserves the right to suspend any ongoing supplies and/or make the execution of the current order conditional on the payment of the outstanding debt. Luxor may also withdraw from any further contracts with the Customer and cancel any previously granted favourable conditions, such as discounts or free gifts.
- 6.6** The Customer is not permitted to offset any claims they may have against Luxor with debts they owe to Luxor, unless formally authorised by Luxor
- 7 EXPRESS TERMINATION CLAUSE - 7.1** Luxor may terminate the contract immediately if the Customer is undergoing bankruptcy or liquidation proceedings, as well as in the event that the Customer is subject to execution proceedings and/or protests and the economic conditions suggest the purchaser is insolvent.
- 8 WARRANTY - 8.1** Luxor guarantees the conformity of the products supplied, free from defects that could make them unsuitable for their intended use. The guarantee may be invoked if the defect is due to manufacturing errors or defects in raw materials that are the responsibility of Luxor.
- 8.2** Unless otherwise expressly agreed, the guarantee lasts for one (1) year from the date of delivery. The Customer must make a written complaint within eight (8) days from delivery in the case of apparent defects, or, in the case of hidden defects, from the time of discovery and in any event not later than twelve (12) months from delivery.
- 8.3** In the event of non-conforming products, Luxor may, at its discretion, provide the Buyer with replacement products of the same type and quantity free of charge ex works, after verifying the returned products. Any return must always be previously agreed and authorised by Luxor. The goods in question must be returned 'carriage paid' along with a note explaining the reason for the return within 30 days of Luxor's approval. Failure to do so will result in the authorization becoming invalid.
- 8.4** If Luxor does not recognize the defective products upon verification, it will invoice those sent as replacements. If Luxor does not recognize the defective products upon verification, they will invoice the replacements. If Luxor is unable to replace defective products, they may issue a credit note to the customer for the value of the defective products. This does not imply any responsibility on Luxor for direct, indirect, or consequential damages resulting from or connected to the defects or faults of the products.
- 8.5** It is important to note that this guarantee does not cover instances where the product has been installed, used or maintained in a manner that is contrary to the instructions and warnings provided in the installation, use, and maintenance manuals that were included with the product. Additionally, any installation or repair work should only be carried out by qualified personnel.
- 8.6** The guarantee will not apply if the Purchaser breaches their contractual obligations.
- 8.7** This warranty is the only warranty and replaces any other written, oral or implied warranties. By accepting these General Terms and Conditions, the Purchaser expressly waives any right of recourse arising from the sale and/or installation of the Products to a non-professional consumer.
- 9. RESERVATION OF PROPERTY 9.1** The sale of Luxor S.p. A's Products is carried out under reservation of ownership. Therefore the products will remain the property of Luxor S.p.A. until the full payment of the price by the buyer.
- 10 TRANSFER OF THE CONTRACT 10.1** It is forbidden to transfer the Contract and/or any interest, right and obligation connected to it to third parties without specific written approval by Luxor.
- 11 PRIVACY - 11.1** The Customer confirms that they have read the information regarding the processing of their personal data, as required by Articles 13 and 14 of Regulation (EU) 2016/679 (GDPR) as amended. The information can be found at <https://luxor.it/privacy-policy>. By accepting these GTC, the Customer consents to the processing of their personal data.
- 11.2** Luxor will process the personal data provided by the Customer, including through external parties, to fulfil legal obligations and carry out administrative and commercial tasks related to the contractual relationship.
- 12 APPLICABLE LAW AND COURT OF JURISDICTION - 12.1** Contract is governed by Italian law. Anything not expressly governed by these GVCs shall be governed by the rules on sale provided for in articles 1470 et seq. of the Italian Civil Code.
- 12.2** The Parties expressly exclude the application of the Vienna Convention on Contracts for the International Sale of Goods. Any disputes related to the Contract, including those regarding its validity, interpretation, execution, and termination, must be referred exclusively to the Court of Brescia.
- 12.3** Luxor reserves the right to take legal action at the competent court of the Customer's location to recover any outstanding debts. The local law will apply in this case.
- 13 FINAL CLAUSES - 13.1** The possible nullity and/or ineffectiveness of one or more provisions of these GTC shall not affect the validity of the Contract as a whole.
- 13.2** Any amendment to the Contract shall be valid only if made in writing and signed by authorised representatives of both Parties.
- The customer acknowledges that they are not a 'consumer' and therefore the provisions of law relating to relations between entrepreneurs and consumers do not apply. The customer declares that they have paid particular attention to the following clauses: Introduction (1.1), Orders (2.1-2.3), Prices (3.2), Delivery Terms (4.1-4.2), Shipping (5.1-5.3), and 6. The following sections require approval: Payments (6.2 - 6.3 - 6.4 - 6.5 - 6.6); 7 Express Termination Clause (7.1); 8 Warranty (8.1 - 8.2 - 8.3 - 8.4 - 8.5 - 8.6 - 8.7); 9. Retention of Title (9.1); 10. Applicable Law and Jurisdiction (12.1 - 12.2 - 12.3); 13 Final Clauses (13.1 - 13.2), and they are to be specifically approved. These general terms and conditions are published on LUXOR's website (<https://luxor.it/>) where they may be consulted, thereby taking full and proper cognisance thereof, pursuant to and for the purposes of Articles 1341 and 1342 of the Civil Code.