



60 YEARS OF ITALIAN TRADITION

Luxor is an important industrial reality, world wide and European market leader in the production of flexible hoses and components for hydro and thermo-sanitary installations. Luxor has been the expression of the most prestigious made in Italy and the great Italian high technology mechanical workings tradition for fifty years; a quality certified and recognized by the most prestigious International Certification Institutes all over the world.

Our mission is the complete customer satisfaction through a process of continuous technological research in order to make high quality, reliable products, anticipating the market evolutions by innovative partnership with both customers and suppliers. Luxor mission takes

place in its own Research and Development Centre in which new and advanced technologies are constantly analyzed and researched with continuous investments to offer the most innovative and reliable solutions for the international markets at competitive costs, ensuring strict quality controls on each single piece.

Luxor entirely plans and realizes each product, thanks to its decennial know how. The great production strength, a "slender" innovative and advanced industrial organization together with a modern logistic conception, make Luxor able to satisfy every kind of request, even customized, with fast deliveries all over the world.



Luxor is certified ISO 9001:2015 by DEKRA Group certification body

CERTIFICATION



Please contact our offices for information about technical specifications and certified products or visit the website of the corresponding certification body for the latter.

Please refer to www.nsf.org for a complete list of NSF approved products.
Please refer to www.iapmort.org for a complete list of UPC/CUPC approved products.



5 / UNDERSINK PIPE CONNECTIONS

UNDERSINK PIPE CONNECTIONS



TECHNICAL DATA



Max temperature

90 °C



Max pressure

10 bar

CONSTRUCTIVE FEATURES

The undersink connections offer the quality and guarantee of a Made in Italy Product. The range of products includes several copper chromed pipes, adjustable elbow, thanks to the articulated slip-off connection with variable lengths, all the technical solutions which make Luxor's undersink connections the ideal solution for any type of installation.

RANGE

All the range is produced with frame chrome plating finish, which guarantees a thicker cover and consequently a higher resistance to ageing and corrosion, next to a top level aesthetic finish. This process is carried out employing material and galvanic processes in compliance to the most severe international rules regulating health and environmental safety.

PIPES

The connection pipes are produced with phosphorous deoxidated copper Cu-DHP with chemical composition Cu 99,9% minimum, whose mechanical features, sizes and tolerances are in compliance to the EN1057 rules and its related regulation. The pipes are polished during the cutting process in order to offer a better quality, and they have a double binding which guarantees a higher resistance during the assembly process and assures the complete removal of the burr and sharp edges which are the causes of possible leakages. All the pieces are carefully washed in ultrasonic tank with neutral agents which remove any possible tailings substances.

ELBOWS AND CONNECTIONS

The elbows and connections in brass CW617N and CW614N are with low lead content in compliance to the recent rules UNI EN12165 and UNI EN12164.


WALL COVERS

The wall covers are in stainless steel AISI 430 weatherproof, resisting to the alkaline of organic acids and solutions and oxidation up to high temperatures.

The tightness are guaranteed by flat gaskets in peroxide EPDM and by clamping cartridges suitable for the use with drinking water.



RCC CARTRIDGE



The RCC cartridge is the most safe and functional solution for the connection of taps to the appliances. Being these three parts in one single body the RCC cartridge is the final solution of the problems of installation of the compression fittings. No more parts lost or wrongly assembled, but one single piece which guarantees an excellent mechanic and hydraulic tightness.

1. Tightening washer in brass CW614N

The brass washer has high mechanical qualities thanks to the annealing process which improves the quality of the material giving max guarantee of a good coupling between the fitting and the pipe without having to apply an excessive clamping strength.

2. Internal gasket in NBR

Range of use for temperature up to 90°C: the gaskets in NBR have good mechanical qualities, low strain and low gas permeability.

3. External cartridge in Nylon (Poliamyde 6.6)

Range of use for temperature up to 90°C: the cartridge in Nylon has good mechanical qualities together with high tightness and is shock proof.

ASSEMBLY INSTRUCTIONS



Attention

- Check the correct direction of the cartridge
- Clamping couple suggested from 25 to 30 Nm max.


For a correct assembly of the undersink connection please follow the above steps, checking carefully the direction of the as-



assembly of the cartridge and the gaskets.

It is important to first connect the nipple with wall cover to the water distribution net, correctly insert the gaskets between the elbow and the nipple, insert the RCC cartridge within the clamping nut paying attention to the direction of insertion and finally block the fitting to the pipe.

CHROMED COPPER PIPES



Luxor SpA chrome plated copper pipes are used to connect taps or mixers to the water distribution net.

They are specially used where the under sink connectors are visible and a high aesthetic impact is required.

Furthermore, their usage is also suggested where connection lengths are undefined, leaving the installer the possibility of adapting the pipe to the most adequate situation.

Applications:

- Washbasins with visible connections, without coverings
- Bidet with visible connections, without coverings
- Special size customized applications

- Washbasin with footswitch
- External WC flushing tanks

Chrome plated pipes are made with 99,9% deoxidated copper. The double binding at the endings grants a higher resistance during the assembly process.


Each pipe is deburred, polished and chrome plated obtaining a top level product easy to install and with an excellent aesthetic. The range includes accessories such as compression fittings, adapters and wall covers.



TUB 001

Chromed copper pipe with collar, compression fitting and 3 pcs cartridge.

CODE	FITTINGS	A	B	C	D	E	F	G	H	L			
05060125CC	M 3/8 - F 3/8	14	10	17	19	19	G 3/8	G 3/8	-	250	107	-	20
05060130CC		14	10	17	19	19	G 3/8	G 3/8	-	300	116	-	20
05060135CC		14	10	17	19	19	G 3/8	G 3/8	-	350	125	-	20
05060140CC		14	10	17	19	19	G 3/8	G 3/8	-	400	134	10	-
05060150CC		14	10	17	19	19	G 3/8	G 3/8	-	500	152	10	-
05060170CC		14	10	17	19	19	G 3/8	G 3/8	-	700	188	10	-
05060199CC		14	10	17	19	19	G 3/8	G 3/8	-	1000	242	10	-
05060225CC	M 3/8 - F 1/2	18	10	17	19	23	G 3/8	G 1/2	-	250	109	-	20
05060230CC		18	10	17	19	23	G 3/8	G 1/2	-	300	118	-	20
05060235CC		18	10	17	19	23	G 3/8	G 1/2	-	350	127	-	20
05060240CC		18	10	17	19	23	G 3/8	G 1/2	-	400	136	10	-
05060250CC		18	10	17	19	23	G 3/8	G 1/2	-	500	154	10	-
05060270CC		18	10	17	19	23	G 3/8	G 1/2	-	700	190	10	-
05060299CC		18	10	17	19	23	G 3/8	G 1/2	-	1000	244	10	-
05060325CC	M 1/2 - F 3/8	14	10	21	19	19	G 1/2	G 3/8	-	250	114	-	20
05060330CC		14	10	21	19	19	G 1/2	G 3/8	-	300	123	-	20
05060335CC		14	10	21	19	19	G 1/2	G 3/8	-	350	132	-	20
05060340CC		14	10	21	19	19	G 1/2	G 3/8	-	400	141	10	-
05060350CC		14	10	21	19	19	G 1/2	G 3/8	-	500	159	10	-
05060370CC		14	10	21	19	19	G 1/2	G 3/8	-	700	195	10	-
05060399CC		14	10	21	19	19	G 1/2	G 3/8	-	1000	249	10	-
05060425CC	M 1/2 - F 1/2	18	10	21	19	23	G 1/2	G 1/2	-	250	116	-	20
05060430CC		18	10	21	19	23	G 1/2	G 1/2	-	300	125	-	20
05060435CC		18	10	21	19	23	G 1/2	G 1/2	-	350	136	-	20
05060440CC		18	10	21	19	23	G 1/2	G 1/2	-	400	143	10	-
05060450CC		18	10	21	19	23	G 1/2	G 1/2	-	500	161	10	-
05060470CC		18	10	21	19	23	G 1/2	G 1/2	-	700	197	10	-
05060499CC		18	10	21	19	23	G 1/2	G 1/2	-	1000	251	10	-



TUB 002


Chromed copper pipe with collar, compression fitting, 3 pcs cartridge long male connection and sliding wall cover.

CODE	FITTINGS	A	B	C	D	E	F	G	H	L			
05070125CC	MPR 3/8 - F 3/8	14	10	17	19	19	G 3/8	G 3/8	60	250	125	-	20
05070130CC		14	10	17	19	19	G 3/8	G 3/8	60	300	134	-	20
05070135CC		14	10	17	19	19	G 3/8	G 3/8	60	350	143	-	20
05070140CC		14	10	17	19	19	G 3/8	G 3/8	60	400	152	10	-
05070150CC		14	10	17	19	19	G 3/8	G 3/8	60	500	170	10	-
05070170CC		14	10	17	19	19	G 3/8	G 3/8	60	700	206	10	-
05070199CC		14	10	17	19	19	G 3/8	G 3/8	60	1000	260	10	-

05070225CC	MPR 3/8 - F 1/2	18	10	17	19	23	G 3/8	G 1/2	60	250	127	-	20
05070230CC		18	10	17	19	23	G 3/8	G 1/2	60	300	136	-	20
05070235CC		18	10	17	19	23	G 3/8	G 1/2	60	350	145	-	20
05070240CC		18	10	17	19	23	G 3/8	G 1/2	60	400	154	10	-
05070250CC		18	10	17	19	23	G 3/8	G 1/2	60	500	172	10	-
05070270CC		18	10	17	19	23	G 3/8	G 1/2	60	700	208	10	-
05070299CC		18	10	17	19	23	G 3/8	G 1/2	60	1000	262	10	-

05070325CC	MPR 1/2 - F 3/8	14	10	21	19	19	G 1/2	G 3/8	60	250	135	-	20
05070330CC		14	10	21	19	19	G 1/2	G 3/8	60	300	144	-	20
05070335CC		14	10	21	19	19	G 1/2	G 3/8	60	350	153	-	20
05070340CC		14	10	21	19	19	G 1/2	G 3/8	60	400	162	10	-
05070350CC		14	10	21	19	19	G 1/2	G 3/8	60	500	180	10	-
05070370CC		14	10	21	19	19	G 1/2	G 3/8	60	700	216	10	-
05070399CC		14	10	21	19	19	G 1/2	G 3/8	60	1000	270	10	-

05070425CC	MPR 1/2 - F 1/2	18	10	21	19	23	G 1/2	G 1/2	60	250	137	-	20
05070430CC		18	10	21	19	23	G 1/2	G 1/2	60	300	146	-	20
05070435CC		18	10	21	19	23	G 1/2	G 1/2	60	350	155	-	20
05070440CC		18	10	21	19	23	G 1/2	G 1/2	60	400	164	10	-
05070450CC		18	10	21	19	23	G 1/2	G 1/2	60	500	182	10	-
05070470CC		18	10	21	19	23	G 1/2	G 1/2	60	700	218	10	-
05070499CC		18	10	21	19	23	G 1/2	G 1/2	60	1000	272	10	-



TUB 003

Annealed and chrome-plated copper tube. Straight tube without flanging.


CODE	FITTINGS	A	B	C	D	E	F	G	H	L			
05421000	∅ 10	-	10	-	-	-	-	-	-	1000	200	10	-
05421200	∅ 12	-	12	-	-	-	-	-	-	1000	222	10	-
05421400	∅ 14	-	14	-	-	-	-	-	-	1000	258	10	-



TUB 004

Chromed copper pipe with male fitting.

CODE	FITTINGS	A	B	C	D	E	F	G	H	L			
05012230	∅ 10 - M 10 x 1	-	10	-	-	12	M 10 x 1	-	-	300	66	10	-
05012240		-	10	-	-	12	M 10 x 1	-	-	400	87	10	-
05012260		-	10	-	-	-	12	M 10 x 1	-	-	600	126	10




TUB 005

Chromed copper pipe with collar and nut.

CODE	FITTINGS	A	B	C	D	E	F	G	H	L			
05051720	Ø 10 - F 3/8	14	10	-	-	19	-	G 3/8	-	200	53	10	50
05051725		14	10	-	-	19	-	G 3/8	-	250	62	10	50
05051730		14	10	-	-	19	-	G 3/8	-	300	71	10	50
05051735		14	10	-	-	19	-	G 3/8	-	350	80	10	50
05051740		14	10	-	-	19	-	G 3/8	-	400	89	10	-
05051750		14	10	-	-	19	-	G 3/8	-	500	107	10	-
05051770		14	10	-	-	19	-	G 3/8	-	700	143	10	-
05051799		14	10	-	-	19	-	G 3/8	-	1000	197	10	-


05052120	Ø 10 - F 1/2	18	10	-	-	23	-	G 1/2	-	200	55	10	50
05052125		18	10	-	-	23	-	G 1/2	-	250	64	10	50
05052130		18	10	-	-	23	-	G 1/2	-	300	73	10	50
05052135		18	10	-	-	23	-	G 1/2	-	350	82	10	50
05052140		18	10	-	-	23	-	G 1/2	-	400	91	10	-
05052150		18	10	-	-	23	-	G 1/2	-	500	109	10	-
05052170		18	10	-	-	23	-	G 1/2	-	700	145	10	-
05052199		18	10	-	-	23	-	G 1/2	-	1000	199	10	-



TUB 006

Annealed chromed copper pipe with compression fitting and 3 pcs cartridge.


CODE	FITTINGS	A	B	C	D	E	F	G	H	L			
05100030CC	Ø 10 - RCC 3/8	-	10	-	-	19	G 3/8	-	-	300	86	10	50



TUB 007

Chromed copper elbow complete with nipple and compression fitting with 3 pcs cartridge.

CODE	FITTINGS	A	B	C	D	E	F	G	H	L			
05422112	M 1/2 - F 1/2	-	12	21	19	23	G 1/2	G 1/2	20	250	160	2	80
05422114		-	14	21	19	23	G 1/2	G 1/2	20	250	184	2	80



TUB 008

Annealed and chrome-plated copper folding tube roll.

CODE	FITTINGS	A	B	C	D	E	F	G	H	L			
05401000	Ø 10	350	10	-	-	-	-	-	-	5000	920	-	1
05401200	Ø 12	350	12	-	-	-	-	-	-	5000	1120	-	1

UNDERSINK ELBOW



Adjustable elbows and wall covers are used to facilitate connection between copper pipes and water distribution net. These items are mainly requested for installations where connections remain visible afterwards.

Applications:

- Washbasins with visible connections, without coverings
- Bidet with visible connections, without coverings
- Special size customized applications
- Any copper pipe connections

Adjustable elbows are used to ease the connection between copper pipes and water distribution net.


This range has been designed and developed with interesting technical devices allowing a quick and easy installation being adjustable either in depth and angulation.

The range includes accessories such as compression fittings, adapters and wall covers.



CHROME


BLACK



ET 001

Fixed 90° brass elbow for shower **50th Series** with sliding copper wall cover.


CODE	FITTINGS	FINISH	A	B	C	D	E	F	G	H	L			
85620001	M 1/2 - M 1/2	CHROME	45	-	25	-	-	G 1/2	G 1/2	68	-	50	10	100
85620002	M 1/2 - M 1/2	CHROME	45	-	25	-	-	G 1/2	G 1/2	55	-	50	25	200
85620003C	M 1/2 - M 1/2	CHROME	45	-	25	-	-	G 1/2	G 1/2	60	-	50	1	45
85620003N	M 1/2 - M 1/2	BLACK	45	-	25	-	-	G 1/2	G 1/2	60	-	50	1	45



ET 002

Fixed 90° chromed elbow for pipe \varnothing 10 mm with sliding wall cover and 3 pcs cartridge.


CODE	FITTINGS	A	B	C	D	E	F	G	H	L			
05391700CC	MPR 3/8 - RCC 3/8	10	78	21	19	23	G 3/8	-	60	82	130	10	100
05392100CC	MPR 1/2 - RCC 3/8	10	78	21	19	23	G 1/2	-	60	82	134	10	100



ET 003

Sliding 90° chromed elbow for pipe \varnothing 10 mm with sliding wall cover and 3 pcs cartridge.


CODE	FITTINGS	A	B	C	D	E	F	G	H	L			
05392115CC	MPR 1/2 - RCC 3/8	10	60	21	19	23	G 1/2	-	60	120	154	10	100



ET 004

Adjustable chromed copper elbow with articulated joint for pipe \varnothing 10 mm with sliding wall cover and 3 pcs cartridge.


CODE	FITTINGS	A	B	C	D	E	F	G	H	L			
05392125CC	MPR 1/2 - RCC 3/8	10	-	21	19	23	G 1/2	-	60	-	158	10	100



ET 005

Fixed 45° chromed copper elbow for pipe \varnothing 10 mm with sliding wall cover and 3 pcs cartridge.


CODE	FITTINGS	A	B	C	D	E	F	G	H	L			
05391735CC	MPR 3/8 - RCC 3/8	10	60	21	19	23	G 3/8	-	60	120	134	10	100
05392135CC	MPR 1/2 - RCC 3/8	10	60	21	19	23	G 1/2	-	60	120	138	10	100



ET 006

Fixed 60° forged chromed brass angle for pipe \varnothing 10 mm with sliding wall cover and 3 pcs cartridge.


CODE	FITTINGS	A	B	C	D	E	F	G	H	L			
05142101CC	MPR 1/2 - RCC 3/8	10	29	-	19	-	G 1/2	-	60	70	98	10	100



ET 007

Fixed 60° forged chromed brass angle with sliding wall cover and 3 pcs cartridge and high nut.


CODE	FITTINGS	A	B	C	D	E	F	G	H	L			
05142102CC	MPR 1/2 - RCC 3/8	10	35	-	19	-	G 1/2	-	60	72	105	10	100



ET 008

Fixed 60° forged chromed copper angle for ø 10 mm pipe with sliding wall cover, 3 pcs cartridge and extension.


CODE	FITTINGS	A	B	C	D	E	F	G	H	L			
05152101CC	MPR 1/2 - RCC 3/8	10	48	19	19	-	G 1/2	-	60	82	124	10	100



ET 009

Fixed 90° chromed brass elbow for ø 10 mm with sliding wall cover and 3 pcs cartridge.


CODE	FITTINGS	A	B	C	D	E	F	G	H	L			
05391710CC	MPR 3/8 - RCC 3/8	10	57	21	19	23	G 3/8	-	60	76	138	10	100
05392110CC	MPR 1/2 - RCC 3/8	10	57	21	19	23	G 1/2	-	60	76	138	10	100



ET 010

Fixed 90° forged chromed brass angle pipe for ø 10 mm with sliding wall cover and 3 pcs cartridge.

CODE	FITTINGS	A	B	C	D	E	F	G	H	L			
05391750CC	MPR 3/8 - RCC 3/8	10	55	21	19	23	G 3/8	-	60	78	144	10	100
05392150CC	MPR 1/2 - RCC 3/8	10	55	21	19	23	G 1/2	-	60	78	144	10	100




ET 011

Fixed 90° forged chromed brass angle pipe for ø 10 mm with sliding wall cover and 3 pcs cartridge and high nut.

CODE	FITTINGS	A	B	C	D	E	F	G	H	L			
05392160CC	MPR 1/2 - RCC 3/8	10	62	21	19	23	G 1/2	-	60	78	151	10	100


COMPRESSION FITTINGS



PR 001

Female chromed brass compression fitting for copper pipe connection \varnothing 10 mm and \varnothing 12 mm.


CODE	FITTINGS	A	B	C	D	E	F	G	H	L			
3 pcs cartridge													
05301710CC	F 3/8 - RCC 3/8	-	10	20	19	-	G 3/8	-	-	30	40	30	-
05302110CC	F 1/2 - RCC 3/8	-	10	24	19	-	G 1/2	-	-	30	45	30	-
Teflon ogive													
05301712	F 3/8 - RCO 3/8	-	12	20	19	-	G 3/8	-	-	30	29	30	-
05302112	F 1/2 - RCO 3/8	-	12	24	19	-	G 1/2	-	-	30	40	30	-



PR 002

Chromed brass compression nipple fitting for copper pipe connection \varnothing 10 mm and \varnothing 12 mm.


CODE	FITTINGS	A	B	C	D	E	F	G	H	L			
3 pcs cartridge													
05291710CC	RCC 3/8 - RCC 3/8	10	10	17	-	-	-	-	-	40	55	30	-
Teflon ogive													
05291712	RCO 3/8 - RCO 3/8	12	12	17	-	-	-	-	-	40	44	30	-



PR 003

Male chromed brass compression fitting for copper pipe connection.

CODE	FITTINGS	A	B	C	D	E	F	G	H	L			
3 pcs cartridge													
05321710CC	M 3/8 - RCC 3/8	-	10	17	19	-	G 3/8	-	-	40	45	30	-
05322110CC	M 1/2 - RCC 3/8	-	10	21	19	-	G 1/2	-	-	40	50	30	-
Teflon ogive													
05321712	M 3/8 - RCO 3/8	-	12	17	19	-	G 3/8	-	-	40	35	30	-
05322112	M 1/2 - RCO 3/8	-	12	21	19	-	G 1/2	-	-	40	46	30	-
05322114	M 1/2 - RCO 1/2	-	14	21	19	-	G 1/2	-	-	40	56	20	-




PR 004




Chromed brass extended compression fitting with sliding wall cover for copper pipe connection.


CODE	FITTINGS	A	B	C	D	E	F	G	H	L			
05311701CC	MPR 3/8 - RCC 3/8	-	10	17	19	-	G 3/8	-	60	48	63	20	-
05312101CC	MPR 1/2 - RCC 3/8	-	10	21	19	-	G 1/2	-	60	48	73	20	200

WALL COVER

**ROS 001**


Stainless steel sliding wall cover \varnothing 60 mm with hexagonal hole.

CODE	FITTINGS	A	B	C	D	E	F	G	H	L			
30011700CF	G 3/8	6	-	17	-	-	-	-	60	-	9	10	-
30012100CF	G 1/2	6	-	21	-	-	-	-	60	-	8	10	-




**ROS 002**


Stainless steel wall cover \varnothing 60 mm with round hole.

CODE	FITTINGS	A	B	C	D	E	F	G	H	L			
30031700CF	G 3/8	6	-	17	-	-	-	-	60	-	9	50	-
30032100CF	G 1/2	6	-	21	-	-	-	-	60	-	8	50	-
30032700CF	G 3/4	6	-	27	-	-	-	-	60	-	7	-	50
30033400CF	G 1"	6	-	34	-	-	-	-	60	-	6	-	50

**ROS 003**


Chromed brass wall cover \varnothing 55 mm with round hole.

CODE	FITTINGS	A	B	C	D	E	F	G	H	L			
30051700CF	G 3/8	6	-	17	-	-	-	-	55	-	7	50	-
30052100CF	G 1/2	6	-	21	-	-	-	-	55	-	6	50	-




**ROS 004**

Chromed brass wall cover \varnothing 55 mm bell shaped.

CODE	FITTINGS	A	B	C	D	E	F	G	H	L			
05260010CF	\varnothing 10	27	-	10	-	-	-	-	55	-	14	-	50
05260012CF	\varnothing 12	27	-	12	-	-	-	-	55	-	13	-	50
05260014CF	\varnothing 14	27	-	14	-	-	-	-	55	-	12	-	50

**ROS 005**

Stainless steel sliding wall cover \varnothing 57 mm with tongue.

CODE	FITTINGS	A	B	C	D	E	F	G	H	L			
30152100CF	G 1/2	8	-	21	-	-	-	-	57	-	9	50	-

GENERAL CONDITIONS OF SALE

1 PREMISES - 1.1 The present conditions of sale apply to all supplies of Luxor Spa Products (hereafter "Luxor"). Any general conditions, and in particular the conditions of purchase of the Buyer (hereafter "Customer"), unless expressly accepted in writing by Luxor, shall not bind the latter nor exempt the Customer from the application of the present General Conditions (hereafter GSC)

2. ORDERS - 2.1 The Purchase Orders (referred to as 'Orders') are an irrevocable purchase proposal. By placing an Order, customers fully accept the present General Conditions of Sale.

2.2 Orders are considered accepted only after Luxor confirms them in writing. The Order confirmation and/or Invoice issued by Luxor will be considered as confirmation.

2.3 Any changes to the Order requested by the Customer after the sending of the Order Confirmation will only be valid and enforceable after written acceptance by Luxor. Cancellation or modification of Orders without the prior written consent of Luxor, will give Luxor the right to act to obtain reimbursement of the costs incurred, without prejudice to the right to compensation for greater damages.

3 PRICES - 3.1 Luxor products will be invoiced based on the current price list at the time the order is accepted. Prices do not include VAT or any other taxes.

3.2 Prices listed in sales catalogues/lists are merely indicative and may be subject to change due to production cost increases. In such cases, Luxor will inform the purchaser of the price increase and provide the reasons.

4 DELIVERY TERMS - 4.1 The supplies in each individual Order will be delivered within the stated terms in the Order Confirmation.

4.2 Luxor will not be held responsible for delays in delivery that are not caused by Luxor, such as delays by third parties, including suppliers and sub-suppliers, shippers, and causes of force majeure that result in total or partial inactivity of the plants. In the cases mentioned above, the Customer cannot refuse delivery of the goods, even if it is only partial, nor can they use a delay in delivery as a reason to terminate the contract or claim damages.

5 SHIPMENTS - 5.1 The products will be delivered to the 'Assigned Port' (Incoterms 2020 EXW), with transport costs and risks borne by the buyer, unless otherwise agreed.

5.2 Even in the case of agreed delivery in "Free Port" (Incoterms 2020 DDP) with costs borne by Luxor, the goods will still travel at the buyer's risk. Regardless of the delivery terms agreed upon by the parties, the risks will pass to the buyer at the latest with delivery to the first carrier.

5.3 The transfer of ownership of the goods is suspended until the full price has been paid, but this does not affect the transfer of risk to the purchaser.

5.4 If special packaging is required, an additional charge as indicated in the price list or order confirmation will be added to the invoice.

6 PAYMENTS - 6.1 Payments are due as per the terms and manner specified in the order confirmation and/or invoice.

6.2 Unless otherwise expressly agreed, payments must be made to the bank details mentioned in the sales invoice. For payments made from abroad via bank transfer, the OUR option must be selected to ensure that Luxor receives the net amount on the invoice after deducting bank charges and expenses. Luxor does not authorize any third parties, including agents and representatives, to collect money on its behalf.

6.3 The Customer is not permitted to suspend or delay payments, even in the event of claims or complaints of defects, and must adhere to the agreed terms.

6.4 In case of payment interruption or suspension, the Customer will be considered in default. Luxor reserves the right to charge expenses and interest as per Art. 5 and 6 of D.Lgs n. 192/2012, without prejudice to the right to terminate the contract. Delayed payment may also result in Luxor excluding the guarantee for the entire period of delay.

6.5 If the Customer fails to adhere to the agreed payment terms, or interrupts or suspends payment, Luxor reserves the right to suspend any ongoing supplies and/or make the execution of the current order conditional on the payment of the outstanding debt. Luxor may also withdraw from any further contracts with the Customer and cancel any previously granted favourable conditions, such as discounts or free gifts.

6.6 The Customer is not permitted to offset any claims they may have against Luxor with debts they owe to Luxor, unless formally authorised by Luxor

7 EXPRESS TERMINATION CLAUSE - 7.1 Luxor may terminate the contract immediately if the Customer is undergoing bankruptcy or liquidation proceedings, as well as in the event that the Customer is subject to execution proceedings and/or protests and the economic conditions suggest the purchaser is insolvent.

8 WARRANTY - 8.1 Luxor guarantees the conformity of the products supplied, free from defects that could make them unsuitable for their intended use. The guarantee may be invoked if the defect is due to

manufacturing errors or defects in raw materials that are the responsibility of Luxor.

8.2 Unless otherwise expressly agreed, the guarantee lasts for one (1) year from the date of delivery. The Customer must make a written complaint within eight (8) days from delivery in the case of apparent defects, or, in the case of hidden defects, from the time of discovery and in any event not later than twelve (12) months from delivery.

8.3 In the event of non-conforming products, Luxor may, at its discretion, provide the Buyer with replacement products of the same type and quantity free of charge ex works, after verifying the returned products. Any return must always be previously agreed and authorised by Luxor. The goods in question must be returned 'carriage paid' along with a note explaining the reason for the return within 30 days of Luxor's approval. Failure to do so will result in the authorization becoming invalid.

8.4 If Luxor does not recognize the defective products upon verification, it will invoice those sent as replacements. If Luxor does not recognize the defective products upon verification, they will invoice the replacements. If Luxor is unable to replace defective products, they may issue a credit note to the customer for the value of the defective products. This does not imply any responsibility on Luxor for direct, indirect, or consequential damages resulting from or connected to the defects or faults of the products.

8.5 It is important to note that this guarantee does not cover instances where the product has been installed, used or maintained in a manner that is contrary to the instructions and warnings provided in the installation, use, and maintenance manuals that were included with the product. Additionally, any installation or repair work should only be carried out by qualified personnel.

8.6 The guarantee will not apply if the Purchaser breaches their contractual obligations.

8.7 This warranty is the only warranty and replaces any other written, oral or implied warranties. By accepting these General Terms and Conditions, the Purchaser expressly waives any right of recourse arising from the sale and/or installation of the Products to a non-professional consumer.

9. RESERVATION OF PROPERTY 9.1 The sale of Luxor S.p. A's Products is carried out under reservation of ownership. Therefore the products will remain the property of Luxor S.p.A. until the full payment of the price by the buyer.

10 TRANSFER OF THE CONTRACT 10.1 It is forbidden to transfer the Contract and/or any interest, right and obligation connected to it to third parties without specific written approval by Luxor.

11 PRIVACY - 11.1 The Customer confirms that they have read the information regarding the processing of their personal data, as required by Articles 13 and 14 of Regulation (EU) 2016/679 (GDPR) as amended. The information can be found at <https://luxor.it/privacy-policy>. By accepting these GTC, the Customer consents to the processing of their personal data.

11.2 Luxor will process the personal data provided by the Customer, including through external parties, to fulfil legal obligations and carry out administrative and commercial tasks related to the contractual relationship.

12 APPLICABLE LAW AND COURT OF JURISDICTION - 12.1 Contract is governed by Italian law. Anything not expressly governed by these GVCs shall be governed by the rules on sale provided for in articles 1470 et seq. of the Italian Civil Code.

12.2 The Parties expressly exclude the application of the Vienna Convention on Contracts for the International Sale of Goods. Any disputes related to the Contract, including those regarding its validity, interpretation, execution, and termination, must be referred exclusively to the Court of Brescia.

12.3 Luxor reserves the right to take legal action at the competent court of the Customer's location to recover any outstanding debts. The local law will apply in this case.

13 FINAL CLAUSES - 13.1 The possible nullity and/or ineffectiveness of one or more provisions of these GTC shall not affect the validity of the Contract as a whole.

13.2 Any amendment to the Contract shall be valid only if made in writing and signed by authorised representatives of both Parties.

The customer acknowledges that they are not a 'consumer' and therefore the provisions of law relating to relations between entrepreneurs and consumers do not apply. The customer declares that they have paid particular attention to the following clauses: Introduction (1.1), Orders (2.1-2.3), Prices (3.2), Delivery Terms (4.1-4.2), Shipping (5.1-5.3), and 6. The following sections require approval: Payments (6.2 - 6.3 - 6.4 - 6.5 - 6.6); 7 Express Termination Clause (7.1); 8 Warranty (8.1 - 8.2 - 8.3 - 8.4 - 8.5 - 8.6 - 8.7); 9. Retention of Title (9.1); 10. Applicable Law and Jurisdiction (12.1 - 12.2 - 12.3); 13 Final Clauses (13.1 - 13.2), and they are to be specifically approved.

These general terms and conditions are published on LUXOR's website (<https://luxor.it/>) where they may be consulted, thereby taking full and proper cognisance thereof, pursuant to and for the purposes of Articles 1341 and 1342 of the Civil Code.