




LUXOR®

MANIFOLDS


2.A / ACCESSORIES

THERMOSTATIC HEADS

**TT 3051**


Thermostatic head for underfloor heating with remote probe.
Temperature range 20 °C÷65 °C.
Standard length of capillary 2 m.

CODE	SIZE	open		closed		D	E	F	G	H	L	⊕	📦	📦
		A	B	C	B									
69100005	M30x1,5	80	75	47	11	110	M30x1,5	-	-	-	146	1	32	

**TT 3061**


Thermostatic head for underfloor heating with G1/2 M housing to connect remote probe. Temperature range 20 °C÷65 °C. Standard length of capillary 2 m.

CODE	SIZE	open		closed		D	E	F	G	H	L	⊕	📦	📦
		A	B	C	B									
69100006	M30x1,5	80	75	47	15	95	M30x1,5	G 1/2	110	-	232	1	32	

**PS 540**

Housing for probe.


CODE	SIZE	A	B	C	D	E	F	G	H	L	⊕	📦	📦
9446950	G 1/2	-	-	-	15	95	-	G 1/2	-	-	92	20	160

**DT 242**

Probe fixing device for art. TT 3051.

CODE	SIZE	⊕	📦	📦
69010500	-	30	20	160

ACCESSORIES FOR DISTRIBUTION MANIFOLDS




TC 430

End cap with EPDM flat gasket.



*In compliance with
D.M. 174/2004


CODE	SIZE	A	B	C	D	E	F	G	H	L			
68502701	G 3/4	13	30	11	-	-	G 3/4	-	-	-	37	100	800
68503401	G 1"	15	37	12	-	-	G 1"	-	-	-	60	50	400



TC 450

Lateral end cap with flat gasket.


CODE	SIZE	FINISH	A	B	C	D	E	F	G	H	L			
68552419	(W24x19)	YELLOW	11	27	8	-	-	W24x19	-	-	-	25	100	800
68552419N	(W24x19)	NICKEL PLATED	11	27	8	-	-	W24x19	-	-	-	25	100	800



TC 460

End cap with o-ring.


CODE	SIZE	FINISH	A	B	C	D	E	F	G	H	L			
68559917	G 3/8	YELLOW	13	20	8	-	-	G 3/8	-	-	-	20	200	1600
68559921	G 1/2	YELLOW	13	22	7	-	-	G 1/2	-	-	-	20	100	800
68559927	G 3/4	YELLOW	14	25	7	-	-	G 3/4	-	-	-	32	100	800
68559934	G 1"	YELLOW	19	27	9	-	-	G 1"	-	-	-	52	50	400
68559942	G 1" 1/4	YELLOW	25	38	12	-	-	G 1" 1/4	-	-	-	94	30	240
68559917N	G 3/8	NICKEL PLATED	13	20	8	-	-	G 3/8	-	-	-	20	200	1600
68559921N	G 1/2	NICKEL PLATED	13	22	7	-	-	G 1/2	-	-	-	20	100	800
68559927N	G 3/4	NICKEL PLATED	14	25	7	-	-	G 3/4	-	-	-	32	100	800
68559934N	G 1"	NICKEL PLATED	19	27	9	-	-	G 1"	-	-	-	52	50	400
68559942N	G 1" 1/4	NICKEL PLATED	25	38	12	-	-	G 1" 1/4	-	-	-	94	30	240






TC 462


Cap with adapter and o-ring.

CODE	SIZE	FINISH	A	B	C	D	E	F	G	H	L			
68559901	G 3/4 x G 3/8	YELLOW	14	25	8	-	-	G 3/4	G 3/8	-	-	31	100	800
68559905	G 3/4 x G 1/2	YELLOW	14	25	8	-	-	G 3/4	G 1/2	-	-	23	100	800
68559902	G 1" x G 3/8	YELLOW	19	27	10	-	-	G 1"	G 3/8	-	-	60	50	400
68559903	G 1" x G 1/2	YELLOW	19	27	10	-	-	G 1"	G 1/2	-	-	56	50	400
68559904	G 1" x G 3/4	YELLOW	19	27	10	-	-	G 1"	G 3/4	-	-	58	50	400
68559908	G 1" 1/4 x G 1/2	YELLOW	24	38	11	-	-	G 1" 1/4	G 1/2	-	-	136	30	240
68559909	G 1" 1/4 x G 3/4	YELLOW	24	38	11	-	-	G 1" 1/4	G 3/4	-	-	116	30	240
68559910	G 1" 1/4 x G 1"	YELLOW	24	38	11	-	-	G 1" 1/4	G 1"	-	-	82	30	240
68559901N	G 3/4 x G 3/8	NICKEL PLATED	14	25	8	-	-	G 3/4	G 3/8	-	-	31	100	800
68559905N	G 3/4 x G 1/2	NICKEL PLATED	14	25	8	-	-	G 3/4	G 1/2	-	-	23	100	800
68559902N	G 1" x G 3/8	NICKEL PLATED	19	27	10	-	-	G 1"	G 3/8	-	-	60	50	400
68559903N	G 1" x G 1/2	NICKEL PLATED	19	27	10	-	-	G 1"	G 1/2	-	-	56	50	400
68559904N	G 1" x G 3/4	NICKEL PLATED	19	27	10	-	-	G 1"	G 3/4	-	-	58	50	400
68559908N	G 1" 1/4 x G 1/2	NICKEL PLATED	24	38	11	-	-	G 1" 1/4	G 1/2	-	-	136	30	240
68559909N	G 1" 1/4 x G 3/4	NICKEL PLATED	24	38	11	-	-	G 1" 1/4	G 3/4	-	-	116	30	240
68559910N	G 1" 1/4 x G 1"	NICKEL PLATED	24	38	11	-	-	G 1" 1/4	G 1"	-	-	82	30	240




**TC 435**


End cap with adapter.

CODE	SIZE	A	B	C	D	E	F	G	H	L			
68502702	G 3/4 x G 3/8	17	31	11,5	-	-	G 3/4	G 3/8	-	-	50	100	800
68503402	G 1" x G 3/8	21	37	13	-	-	G 1"	G 3/8	-	-	66	50	400
68503406	G 1" x G 1/2	21	37	13	-	-	G 1"	G 1/2	-	-	64	50	400




**TC 440**


Terminal with female connections.

CODE	SIZE	A	B	C	D	E	F	G	H	L			
68502708	G 3/4xG 1/2xG 1/2	33	-	41	-	-	G 3/4	G 1/2	G 1/2	-	140	25	200
68503408	G 1"xG 3/8xG 1/2	23,5	37	58	-	-	G 1"	G 3/8	G 1/2	-	133	25	200

**TC 445**


Terminal with female 3/8 (for air vent valve) male 1/2 (for water drain valve) connections.

CODE	SIZE	A	B	C	D	E	F	G	H	L			
68502705	G 3/4	23,5	37	-	-	-	G 3/4	G 3/8	G 1/2	-	158	25	200
68503405	G 1"	23,5	37	-	-	-	G 1"	G 3/8	G 1/2	-	118	25	200




**TC 465**


M-M locknut union fitting with o-rings for manifold series CD.

CODE	SIZE	FINISH	A	B	C	D	E	F	G	H	L			
68559635	G 1" x G 1"	YELLOW	37	37	16	-	-	G 1"	-	-	-	121	15	120
68559642	G 1"1/4 x G 1"1/4	YELLOW	45	48	20	-	-	G 1"1/4	-	-	-	245	10	80
68559635N	G 1" x G 1"	NICKEL PLATED	37	37	16	-	-	G 1"	-	-	-	121	15	120
68559642N	G 1"1/4 x G 1"1/4	NICKEL PLATED	45	48	20	-	-	G 1"1/4	-	-	-	245	10	80

**TC 464**

M-M union fitting with o-rings.


CODE	SIZE	FINISH	A	B	C	D	E	F	G	H	L			
68559827	G 3/4 x G 3/4	YELLOW	27	30	7	-	-	G 3/4	-	-	-	66	80	640
68559834	G 1" x G 1"	YELLOW	28	37	8	-	-	G 1"	-	-	-	85	50	400
68559842	G 1"1/4 x G 1"1/4	YELLOW	34	48	10	-	-	G 1"1/4	-	-	-	153	20	160
68559827N	G 3/4 x G 3/4	NICKEL PLATED	27	30	7	-	-	G 3/4	-	-	-	66	80	640
68559834N	G 1" x G 1"	NICKEL PLATED	28	37	8	-	-	G 1"	-	-	-	85	50	400
68559842N	G 1"1/4 x G 1"1/4	NICKEL PLATED	34	48	10	-	-	G 1"1/4	-	-	-	153	20	160



RD 901

Straight F-F union fitting.


CODE	SIZE	A	B	C	D	E	F	G	H	L			
7146770N	G 3/4	33	32	-	-	-	G 3/4	-	-	-	62	30	240
7146772N	G 1"	33	41	-	-	-	G 1"	-	-	-	93	20	160



CD 1466/1

One outlet manifold with built-in valve set for electrothermal adjustment and protection cap.


CODE	SIZE	A	B	C	D	E	F	G	H	L			
15112401N	G 1" x (W24x19)	54	37	37	43	W24x19	G 1"	G 1/2	80	-	322	2	64



CD 1446/1

One outlet manifold with built-in valve set for electrothermal adjustment and protection cap.


CODE	SIZE	A	B	C	D	E	F	G	H	L			
15112701N	G 1" x G 3/4 EK	54	37	37	43	G 3/4 EK	G 1"	G 1/2	80	-	333	2	64



CD 449/1

One outlet manifold with built-in lockshield.


CODE	SIZE	A	B	C	D	E	F	G	H	L			
15212401N	G 1" x (W24x19)	54	37	37	39	W24x19	G 1"	G 1/2	76	-	310	2	64



CD 448/1


One outlet manifold with built-in lockshield.

CODE	SIZE	A	B	C	D	E	F	G	H	L			
15212701N	G 1" x G 3/4 EK	54	37	37	39	G 3/4 EK	G 1"	G 1/2	76	-	321	2	64

**CD 1474/1**

One outlet manifold with regulator/
flow meter.

CODE	SIZE	A	B	C	D	E	F	G	H	L			
15252401N	G 1" x (W24x19)	54	37	37	76	W24x19	G 1"	G 1/2	113	-	298	2	64

**CD 474/1**

One outlet manifold with regulator/
flow meter.

CODE	SIZE	A	B	C	D	E	F	G	H	L			
15252701N	G 1" x G 3/4 EK	54	37	37	76	G 3/4 EK	G 1"	G 1/2	113	-	326	2	64

**KC 650**

Kit for manifold series CD consisting of:

- n. 1 angle ball valve with blue handle
- n. 1 angle ball valve with red handle
- n. 2 seal fittings with swivel nut
- n. 2 manual air vent valves
- n. 2 water drain valves
- n. 2 thermometers
- n. 2 lateral end caps.

***ARTICLE DISCONTINUED.**

CODE	SIZE			
68559754	G 1"	1694	1	8
68559762*	G 1"1/4	2992	1	8

KC 652

Kit for manifold series CD consisting of:

- n. 1 angle ball valve with blue handle
- n. 1 angle ball valve with red handle
- n. 2 seal fittings with swivel nut
- n. 2 manual air vent valves
- n. 2 water drain valves
- n. 2 thermometers
- n. 2 lateral end caps.

CODE	SIZE			
68559758	G 1"	2112	1	8
68559766	G 1"1/4	2460	1	8

**KC 651**

Kit for manifold series CD consisting of:

- n. 1 angle ball valve with blue handle
- n. 1 angle ball valve with red handle
- n. 2 seal fittings with swivel nut
- n. 2 automatic air vent valves
- n. 2 water drain valves
- n. 2 thermometers
- n. 2 lateral end caps.

***ARTICLE DISCONTINUED.**


CODE	SIZE			
68559756	G 1"	1996	1	8
68559764*	G 1"1/4	3294	1	8

KC 653

Kit for manifold series CD consisting of:

- n. 1 angle ball valve with blue handle
- n. 1 angle ball valve with red handle
- n. 2 seal fittings with swivel nut
- n. 2 automatic air vent valves
- n. 2 water drain valves
- n. 2 thermometers
- n. 2 lateral end caps.


CODE	SIZE			
68559760	G 1"	2414	1	8
68559768	G 1"1/4	2762	1	8



CR 489

Soft seal fitting with locknut for ball valve with 3 connections.


CODE	SIZE	A	B	C	D	E	F	G	H	L			
68503425	G 1" x G 1/2	54	37	-	-	-	G 1"	G 1/2	-	-	187	16	128



CR 491

Soft seal swivel nut fitting for ball valve with 3 connections.


CODE	SIZE	A	B	C	D	E	F	G	H	L			
68559781	G 1" x G 1/2	53	-	-	-	G 1"	G 1"1/4	G 1/2	-	-	230	16	128
68559785	G 1"1/4 x G 1/2	66	-	-	-	G 1"1/4	G 1"1/2	G 1/2	-	-	382	8	64



CR 490

Soft seal fitting with locknut for ball valve with adjustable thermometer, automatic air vent valve and adjustable water drain tap.


CODE	SIZE	A	B	C	D	E	F	G	H	L			
68503430	G 1"	54	136	37	-	-	G 1"	G 3/4	-	-	530	4	32



CR 492

Soft seal fitting with locknut for ball valve with adjustable thermometer, manual air vent valve and adjustable water drain tap.


CODE	SIZE	A	B	C	D	E	F	G	H	L			
68503434	G 1"	54	90	37	-	-	G 1"	G 3/4	-	-	379	4	32






RD 458


Three pieces M-M union fitting with o-ring.

CODE	SIZE	A	B	C	D	E	F	G	H	L			
68992700N	G 3/4	37	52	42	-	-	-	G 3/4	-	-	168	20	160
68993400N	G 1"	47	54	45	-	-	-	G 1"	-	-	262	15	120




**RD 455**


Three pieces M-M union fitting with o-ring.

CODE	SIZE	A	B	C	D	E	F	G	H	L			
68992701N	G 3/4	37	48	29	-	-	-	G 3/4	-	-	120	20	160
68993401N	G 1"	46	48	28	-	-	-	G 1"	-	-	238	15	120




**CR 498**


Nickel plated brass nut and fitting with o-ring to connect valves to distribution manifolds.

CODE	SIZE	A	B	C	D	E	F	G	H	L			
67901700	DN 10 3/8	26	18	-	-	-	G 5/8	G 3/8	-	-	60	50	400
67902100	DN 15 1/2	26	18	-	-	-	G 3/4	G 1/2	-	-	71	50	400
67902700	DN 20 3/4	33	23	-	-	-	G 1"	G 3/4	-	-	120	20	160
67903400	DN 25 1"	36	25	-	-	-	G 1 1/4	G 1"	-	-	220	15	120
67904200	DN 32 1 1/4	41	35	-	-	-	G 1 1/2	G 1 1/4	-	-	240	10	80




**CR 498/A**


Nickel-plated nut and fitting with flat gasket.

CODE	SIZE	A	B	C	D	E	F	G	H	L			
67922100	DN 15 1/2	23	15	-	-	-	G 3/4	G 1/2	-	-	68	50	400
67922700	DN 20 3/4	29,5	19,5	-	-	-	G 1"	G 3/4	-	-	104	20	160
67924200	DN 32 1 1/4	36	22,5	-	-	-	G 1 1/2	G 1 1/4	-	-	217	10	80




**CR 498/B**


Fitting CR 498 increased by 50 mm.

CODE	SIZE	A	B	C	D	E	F	G	H	L			
67913400	DN 25 1"	77	66	-	-	-	G 1 1/4	G 1"	-	-	245	10	80

**CR 499**


Nickel-plated fitting with swivel nut, locknut, o-ring and thermometer to connect ball valves to distribution manifold series CD.

CODE	SIZE	A	B	C	D	E	F	G	H	L			
68503428	G 1"	57	37	40	46	-	G 1"	G 1 1/4	-	-	270	8	64
68504228	G 1 1/4	78	48	40	66	-	G 1 1/4	G 1 1/2	-	-	496	4	32




RT 488
Thermometer.

CODE	SIZE	A	B	C	D	E	F	G	H	L			
68559854	-	40	42	10	9	-	-	-	-	-	28	15	120




RT 487
Thermometer with housing.

CODE	SIZE	A	B	C	D	E	F	G	H	L			
68559851	G 3/8	40	40	16	-	-	G 3/8	-	-	-	56	10	80
68559852	G 1/2	40	43	29	-	-	G 1/2	-	-	-	56	10	80




RTA 489
Axial thermometer with fitting and check valve.

CODE	SIZE	A	B	C	D	E	F	G	H	L			
68559855	G 1/2	65	51	80	34	-	G 1/2	-	-	-	155	1	50







RTR 490
Radial thermometer with fitting and check valve.

CODE	SIZE	A	B	C	D	E	F	G	H	L			
68559856	G 1/2	108	94	80	34	-	G 1/2	-	-	-	152	1	50

**SD 484**



Nickel plated splitter.


CODE	SIZE	A	B	C	D	E	F	G	H	L			
68502419	(W24x19)	58	27	36	-	-	W24x19	-	-	-	130	10	80
68502700	G 3/4 EK	58	30	36	-	-	G 3/4 EK	-	-	-	147	10	80

**SA 483**




Nickel plated terminal for manifolds, with swivel nut and built-in brass water drain tap:


- connection for air vent valve.

CODE	SIZE	A	B	C	D	E	F	G	H	L			
68503409	G 1" x G 3/8	24	37	-	72	5	G 1"	G 3/8	G 3/4	-	252	10	80
68503424	G 1" x G 1/2	24	37	-	72	5	G 1"	G 1/2	G 3/4	-	242	10	80




**SA 483/A**


Nickel plated terminal for manifolds, with swivel nut, built-in brass water drain tap and air vent valve.

CODE	SIZE	A	B	C	D	E	F	G	H	L			
68503423	G 1"	24	37	-	135	5	G 1"	-	G 3/4	-	417	8	64

**SA 483/B**




Nickel-plated terminal with locknut, water drain tap and built-in air vent valve.


CODE	SIZE	A	B	C	D	E	F	G	H	L			
68503426	G 1"	24	37	-	90	5	G 1"	-	G 3/4	-	266	8	64

**TC 488**

Terminal for manifolds with locknut:

- G 3/8 female or G 1/2 female connection for air vent valve
- G 1/2 female connection for water drain valve.


CODE	SIZE	A	B	C	D	E	F	G	H	L			
68503420	G 1/2 x G 1/2	24	37	-	41	-	G 1"	G 1/2	G 1/2	-	130	20	160
68503422	G 1/2 x G 3/8	24	37	-	41	-	G 1"	G 3/8	G 1/2	-	140	20	160



SA 492

Nickel-plated water drain valve with plug, lanyard and rotating drain.

CODE	SIZE	A	B	C	D	E	F	G	H	L			
68559815	G 1/2	34	5	25,5	-	24	G 1/2	G 3/4	-	-	112	30	240



SA 494

Nickel plated ball valve for water drain, with lever, rubber holder and plug.


CODE	SIZE	A	B	C	D	E	F	G	H	L			
68559799	G 1/2	68	47	15	-	-	G 1/2	-	-	-	107	15	120



CB 1205

Insulation for 12-way manifolds series CD and CX.

CODE	SIZE			
72000064	CD G 1"	156	-	6
72000066	CX G 1"	149	-	6
72000065	CD G 1 1/4"	180	-	6



TM 4012

Regulator/flow meter 0,5÷5 l/min.


CODE	SIZE	A	B	C	D	E	F	G	H	L			
69000010	G 1/2	57	61	30	24	-	G 1/2	-	-	-	60	25	200



TM 4014

Regulator/flow meter 0,5÷5 l/min.

CODE	SIZE	A	B	C	D	E	F	G	H	L			
69000018	G 1/2	68,5	74	32,5	24	-	G 1/2	-	-	-	36	20	160



560

Thermostatic adjustment screw for manifolds series CD.



CODE	SIZE	CLOSING POINT	STROKE	A	B	C	D	E	F	G	H	L			
9446870	G 1/2	11,8	2,7	2,7	23	G 1/2	19	-	-	-	-		66	50	400



516

Full sealing assembly for thermostatic and thermoelectric screw stem.


CODE	SIZE			
67980200	-	6	-	-



563

Lockshield screw fit for double micrometric balancing for manifold series CD.



CODE	FINISH	SIZE	STROKE	A	B	C	D	E	F	G	H	L			
9446841	YELLOW	G 1/2	7,8	20	G 1/2	24	-	-	-	-	-	-	66	50	400
9446843	NICKEL PLATED	G 1/2	7,8	20	G 1/2	24	-	-	-	-	-	-	66	50	400



501

Adjustment collar for lockshield for manifolds series CD.

CODE	SIZE	A	B	C	D	E	F	G	H	L			
3346656	-	5	8	-	-	-	G 1/4	-	-	-	1	-	-




567

Fitting with seat for thermostatic screw art. 560, adjustment lockshield screw art. 563 and regulator/flow meter art. TM 4012, for manifold series CD.

CODE	SIZE	FINISH	A	B	C	D	E	F						
68552678	CD G 1" G 1/2 x (W24x19)	YELLOW	26	10	9,3	24	G 1/2	W24x19	TR 91	TP 95	TP 97	43	50	400
68552679	CD G 1 1/4 G 1/2 x (W24x19)	YELLOW	36	10	19,3	24	G 1/2	W24x19	TR 91	TP 95	TP 97	49	50	400
68552675	CD G 1" G 1/2 x G 3/4 EK	YELLOW	26	10,5	9,3	27	G 1/2	G 3/4 EK	TR 91/A	TP 98	TP 99	54	50	400
68552677	CD G 1 1/4 G 1/2 x G 3/4 EK	YELLOW	36	10,5	19,3	27	G 1/2	G 3/4 EK	TR 91/A	TP 98	TP 99	60	50	400
68552678N	CD G 1" G 1/2 x (W24x19)	NICKEL PLATED	26	10	9,3	24	G 1/2	W24x19	TR 91	TP 95	TP 97	43	50	400
68552679N	CD G 1 1/4 G 1/2 x (W24x19)	NICKEL PLATED	36	10	19,3	24	G 1/2	W24x19	TR 91	TP 95	TP 97	49	50	400
68552675N	CD G 1" G 1/2 x G 3/4 EK	NICKEL PLATED	26	10,5	9,3	27	G 1/2	G 3/4 EK	TR 91/A	TP 98	TP 99	53	50	400
68552677N	CD G 1 1/4 G 1/2 x G 3/4 EK	NICKEL PLATED	36	10,5	19,3	27	G 1/2	G 3/4 EK	TR 91/A	TP 98	TP 99	60	50	400







TM 4005
Flow meter 1÷4 l/min.

CODE	SIZE	A	B	C	D	E	F	G	H	L						
69000012	(W24x19) x (W24x19)	72	-	-	-	-	W24x19	W24x19	-	-	TR 91	TP 95	TP 97	126	25	200
69000015	G 3/4 EK x G 3/4 EK	64	-	-	-	-	G 3/4 EK	G 3/4 EK	-	-	TR 91/A	TP 98	TP 99	138	25	200

FLOW METER FLOW RATE CHART



ITEM	SIZE	Kvs	POS
TM 4005	W24x19	1,15	1
TM 4005	G 3/4 EK		2



ADJUSTABLE BRACKET



The bracket has an adjustable wheelbase of 200 - 210 - 220 - 230 - 240 - 250 - 260 mm as needed.

The universal bracket is suitable for all Luxor manifolds with the exception of the 1/4"G1 CD series.

TECHNICAL DATA



Screw material

Fe



Bracket material


DD11



Upright material

PA6


INSTRUCTIONS FOR USE OF ADJUSTABLE BRACKETS SC 497




1. Insert the jumpers on the bracket by sliding them into the "H". profile.



5. The jumper is composed of a flexible clamp that can wrap any shape of the product to be fixed with this bracket.




2. Align the central hole with the desired centre distance (for example in the image 200mm), adjustment from 200mm to 260mm.




6. The clamp can be locked in 2 ways. The first involves inserting the fixed pin of the jumper into one of the holes of the clamp. This allows the product to be positioned without the use of tools. In some installations it may be sufficient because it is not necessary to securely anchor the manifold.




3. Disconnect the locking pin from the jumper and insert it into the appropriate seat.



7. The clamp can be locked in 2 ways. The second involves the use of a self-tapping screw which, positioned in the appropriate hole of the clamp, can tighten and securely lock the manifold to the bracket.




4. Repeat the operation with the other jumper for the unadjustable fixed position.



SC 497

Adjustable and universal metal/polyamide bracket for fixing the manifolds to metal or wall boxes.


CODE	SIZE	A	B	C	D	E	F	G	H	L			
68559538	-	327.5	39	30	30.5	20	-	-	-	-	140	-	100



SC 496

Metal bracket for manifolds series CD and CX.


CODE	SIZE	A	B	C	D	E	F	G	H	L			
68559528	CD G 3/4 x 200	319	200	12	79	34	6 MA	119	-	-	270	-	100
68559535	CD G 1" x 200	319	200	12	79	30	6 MA	119	-	-	260	-	100
68559537	CX G 1" x 200	319	200	12	79	30	6 MA	119	-	-	265	-	100
68559734	CD G 1" x 250	366	250	12	89	-	6 MA	-	-	-	294	-	50
68559543	CD G 1 1/4 x 200	319	200	12	90	30	6 MA	114	-	-	290	-	80



SC 496/A

Simple metal bracket for manifolds.



CODE				A	B	C	D	E	F			
68559429	3/4	1"	3/4	162,5	-	12	56,5	-	6 MA	140	-	100
68559436	1"	-	-	162,5	-	12	56,5	-	6 MA	134	-	100
68559437	-	-	1"	162,5	-	12	56,5	-	6 MA	138	-	100
68559442	1 1/4	-	-	162,5	-	12	56,5	-	6 MA	148	-	100



SC 496/B

High simple metal bracket for manifolds.

CODE				A	B	C	D	E	F			
68559428	3/4	1"	3/4	160	82	12	92	-	6 MA	136	-	70
68559435	1"	-	-	160	82	12	92	-	6 MA	136	-	70
68559433	-	-	1"	160	82	12	92	-	6 MA	140	-	70
68559443	1 1/4	-	-	160	87	12	103	-	6 MA	149	-	70



CF 477

Modular universal plastic cabinet with bottom, complete with bearings to fix modular simple, coplanar manifolds and distribution manifolds.


CODE	SIZE	A	B	C	D	E	F	G	H	L			
68560432	272 x 332 x 86	260	320	272	332	86	290	350	18	-	1000	1	20
68560440	272 x 412 x 86	260	400	272	412	86	290	430	18	-	1250	1	20
68560450	272 x 512 x 86	260	500	272	512	86	290	530	18	-	1500	1	20
68560460	272 x 612 x 86	260	600	272	612	86	290	630	18	-	1750	1	20



AC 477

Replacement accessories for fixing the manifolds inside the cabinet CF 477.

CODE	SIZE			
68560001	-	60	1	-



CF 479

Replacement accessories for fixing the manifolds inside the cabinet CF 479.


CODE	SIZE	A	B	C	D	E	F	G	H	L			
68560332	290 x 330 x 88	280	320	290	330	88	320	360	10	-	930	1	5
68560342	310 x 430 x 88	300	420	310	430	88	340	460	10	-	1175	1	5
68560352	330 x 530 x 88	320	520	330	530	88	360	560	10	-	1425	1	5
68560362	330 x 625 x 88	320	615	330	625	88	360	660	10	-	1715	1	5



AC 479

Replacement accessories for fixing the manifolds inside the cabinet CF 479.

CODE	SIZE			
68560005	-	70	1	-



CT 474




Plastic frame and cover.

CODE	SIZE	A	B	C	D	E	F	G	H	L			
68560040	240 x 400	230	390	305	465	14	265	425	10	-	501	-	50
68560050	240 x 500	230	490	305	565	14	265	525	10	-	622	-	35
68560060	240 x 600	230	590	305	665	14	265	625	10	-	752	-	35

**CT 488**

Frame with door white enamelled RAL 9016. Replacement for CF 485, CF486, CF 487 and CF 492.




ARTICLE DISCONTINUED.

CODE	SIZE			
68561005	500 x 450	3	-	1
68561007	700 x 450	4	-	1
68561008	850 x 450	5	-	1
68561010	1000 x 450	6	-	1
68561012	1200 x 450	7	-	1

**CT 489**




Frame and door white steel RAL 9016. Replacement for CF 489, CF 490 and CF 491.


ARTICLE DISCONTINUED.

CODE	SIZE			
68561105	500 x 560	4	-	1
68561107	700 x 560	5	-	1
68561108	850 x 560	6	-	1
68561110	1000 x 560	7	-	1
68561112	1200 x 560	8	-	1
68561113	1300 x 560	9	-	1




**CF 485**


Zinc-plated steel wall cabinet for heating and sanitary applications, with adjustable frame and bearings, RAL 9016 white door and frame, for manifolds series CD.

CODE	SIZE	A	B	C	D	E	F	G	H	L			
68560705	500 x 620 x 110	530	562	500	620	750	110	150	450	490	8	-	1
68560707	700 x 620 x 110	530	762	700	620	750	110	150	450	690	11	-	1
68560708	850 x 620 x 110	530	912	850	620	750	110	150	450	840	14	-	1
68560710	1000 x 620 x 110	530	1062	1000	620	750	110	150	450	990	17	-	1
68560712	1200 x 620 x 110	530	1262	1200	620	750	110	150	450	1190	20	-	1

**CF 490**

Zinc-plated steel wall cabinet for heating and sanitary applications, with adjustable frame and bearings, RAL 9016 white door and frame, for manifolds series CD.


CODE	SIZE	A	B	C	D	E	F	G	H	L			
68561405	500 x 720 x 90	630	560	500	720	860	90	130	560	490	9	-	1
68561407	700 x 720 x 90	630	760	700	720	860	90	130	560	690	12	-	1
68561408	850 x 720 x 90	630	910	850	720	860	90	130	560	840	15	-	1
68561410	1000 x 720 x 90	630	1060	1000	720	860	90	130	560	990	18	-	1
68561412	1200 x 720 x 90	630	1260	1200	720	860	90	130	560	1190	21	-	1
68561413	1300 x 720 x 90	630	1360	1300	720	860	90	130	560	1290	22,5	-	1



CF 491

Zinc-plated steel wall cabinet for heating and sanitary applications, with adjustable frame, RAL 9016 white door and frame, for manifolds series CD.

CODE	SIZE	A	B	C	D	E	F	G	H	L			
68561505	500 x 600 x 90	630	560	500	600	90	130	560	490	-	8	-	1
68561507	700 x 600 x 90	630	760	700	600	90	130	560	690	-	11	-	1
68561508	850 x 600 x 90	630	910	850	600	90	130	560	840	-	13	-	1
68561510	1000 x 600 x 90	630	1060	1000	600	90	130	560	990	-	15	-	1
68561512	1200 x 600 x 90	630	1260	1200	600	90	130	560	1190	-	18	-	1



CF 492

Zinc-plated steel wall cabinet for heating and sanitary applications, with adjustable frame, RAL 9016 white door and frame, for manifolds series CD.

CODE	SIZE	A	B	C	D	E	F	G	H	L			
68561605	500 x 500 x 80	530	562	500	500	80	120	450	490	-	7	-	1
68561607	700 x 500 x 80	530	762	700	500	80	120	450	690	-	9	-	1
68561608	850 x 500 x 80	530	912	850	500	80	120	450	840	-	10,5	-	1



AC 490

Accessories kit: rails, bolts for cabinets CF 485 and CF 492.

CODE	SIZE			
68560002	-	434	1	-



AC 489


Accessories kit: rails, bolts for cabinets CF 490 and CF 491.

CODE	SIZE			
68560003	-	506	1	-

G 1"


HOW TO CHOOSE THE RIGHT CABINET

G 1" MANIFOLD



							CABINETS	
OUTLETS	A	B	C	D	E	F	ITEM	CODE
2	112	276	500	560	490	W24x19 - G 3/4 EK	CF 490	68561405
3	162	326						
4	212	376						
5	262	426	700	760	690		CF 490	68561407
6	312	476						
7	362	526						
8	412	576	850	910	840		CF 490	68561408
9	462	626						
10	512	676						
11	562	726	1000	1060	990		CF 490	68561410
12	612	776						
13	662	826						

G 1" MANIFOLD WITH DRAIN




							CABINETS	
OUTLETS	A	B	C	D	E	F	ITEM	CODE
2	162	276	500	560	490	W24x19 - G 3/4 EK	CF 490	68561405
3	212	326						
4	262	376						
5	312	426	700	760	690		CF 490	68561407
6	362	476						
7	412	526						
8	462	576	850	910	840		CF 490	68561408
9	512	626						
10	562	676						
11	612	726	662	776				
12	662	776						

G 1"1/4


HOW TO CHOOSE THE RIGHT CABINET

G 1"1/4 MANIFOLD



							CABINETS	
OUTLETS	A	B	C	D	E	F	ITEM	CODE
2	114	260	500	565	490	W24x19 - G 3/4 EK	CF 485	68560705
3	164	310						
4	214	360						
5	264	410						
6	314	460						
7	364	510	700	765	690		CF 485	68560707
8	414	560						
9	464	610						
10	514	660	850	915	840		CF 485	68560708
11	564	710						
12	614	760						
13	664	810	1000	1065	990		CF 485	68560710

G 1" 1/4 MANIFOLD WITH DRAIN




							CABINETS	
OUTLETS	A	B	C	D	E	F	ITEM	CODE
2	164	310	500	565	490	W24x19 - G 3/4 EK	CF 485	68560705
3	214	360						
4	264	410						
5	314	460						
6	364	510						
7	414	560						
8	464	610						
9	514	660	850	915	840		CF 485	68560708
10	564	710						
11	614	760						
12	664	810	1000	1065	990		CF 485	68560710

G 1"

HOW TO CHOOSE THE RIGHT CABINET

G 1" MANIFOLD



							CABINETS	
OUTLETS	A	B	C	D	E	F	ITEM	CODE
2	130	210	500	560	490	W24x19 - G 3/4 EK	CF 490	68561405
3	180	260						
4	230	310						
5	280	360						
6	330	410	700	760	690		CF 490	68561407
7	380	460						
8	430	510						
9	480	560						
10	530	610	850	910	840		CF 490	68561408
11	580	660						
12	630	710						
13	680	760						
14	730	810	1000	1060	990	CF 490	68561410	
15	780	860						
16	830	910						